



US009376927B2

(12) **United States Patent**
Stein et al.(10) **Patent No.:** US 9,376,927 B2
(45) **Date of Patent:** Jun. 28, 2016(54) **TURBINE NOZZLE HAVING
NON-AXISYMMETRIC ENDWALL CONTOUR
(EWC)**(71) Applicant: **General Electric Company**,
Schenectady, NY (US)(72) Inventors: **Alexander Stein**, Simpsonville, SC
(US); **Joe Timothy Brown**,
Simpsonville, SC (US); **Ravichandran
Meenakshisundaram**, Greenville, SC
(US)(73) Assignee: **General Electric Company**,
Schenectady, NY (US)(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 437 days.(21) Appl. No.: **14/060,996**(22) Filed: **Oct. 23, 2013**(65) **Prior Publication Data**

US 2015/0110618 A1 Apr. 23, 2015

(51) **Int. Cl.**
F01D 5/14 (2006.01)
F01D 9/04 (2006.01)(52) **U.S. Cl.**
CPC **F01D 9/041** (2013.01); **F01D 5/141**
(2013.01); **F05D 2240/80** (2013.01); **F05D
2250/74** (2013.01); **Y02E 20/16** (2013.01);
Y02T 50/673 (2013.01)(58) **Field of Classification Search**
CPC F01D 5/141; F01D 9/041; F05D 2220/30;
F05D 2240/80; F05D 2250/71; F05D 2250/74;
Y02E 20/16; Y02T 50/673

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

3,844,679 A	10/1974	Grondahl et al.
4,208,167 A *	6/1980	Yasugahira F01D 5/145 415/191
4,627,480 A	12/1986	Lee et al.
5,282,721 A	2/1994	Kildea
5,286,168 A	2/1994	Smith
5,480,285 A	1/1996	Patel et al.
5,738,489 A	4/1998	Lee
5,848,876 A	12/1998	Tomita
5,980,209 A	11/1999	Barry et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP

2479381 A1 7/2012

OTHER PUBLICATIONS


Booth et al., "Rotor-Tip Leakage: Part 1—Basic Methodology",
Journal of Engineering for Power, Transactions of the ASME, vol.
104, Jan. 1982, pp. 154-161.

(Continued)

Primary Examiner — Igor Kershteyn

(74) Attorney, Agent, or Firm — Ernest G. Cusick; Hoffman
Warnick LLC(57) **ABSTRACT**

Various embodiments of the invention include turbine nozzles and systems employing such nozzles. Various particular embodiments include a turbine nozzle having: an airfoil having: a suction side; a pressure side opposing the suction side; a leading edge spanning between the pressure side and the suction side; and a trailing edge opposing the leading edge and spanning between the pressure side and the suction side; and at least one endwall connected with the airfoil along the suction side, pressure side, trailing edge and the leading edge, the at least one endwall including a non-axisymmetric contour proximate a junction between the endwall and the leading edge of the airfoil.

18 Claims, 6 Drawing Sheets

US 9,376,927 B2

Page 2

(56)	References Cited					
U.S. PATENT DOCUMENTS						
6,017,189 A	1/2000	Judet et al.	8,647,067 B2	2/2014	Pandey et al.	
6,072,829 A	6/2000	Dirr	8,684,684 B2	4/2014	Clements et al.	
6,086,328 A	7/2000	Lee	8,720,207 B2	5/2014	Gersbach et al.	
6,142,739 A	11/2000	Harvey	8,721,291 B2	5/2014	Lee et al.	
6,190,130 B1	2/2001	Fukue et al.	8,821,111 B2	9/2014	Gear et al.	
6,241,467 B1	6/2001	Zelesky et al.	8,870,524 B1	10/2014	Liang	
6,419,446 B1 *	7/2002	Kvasnak	8,870,585 B2	10/2014	Lee et al.	
		F01D 5/145 415/116	8,967,959 B2	3/2015	Stein et al.	
			9,103,213 B2	8/2015	Barr et al.	
			9,188,017 B2	11/2015	Xu	
			2004/0081548 A1	4/2004	Zess et al.	
			2007/0059173 A1	3/2007	Lee et al.	
6,422,817 B1	7/2002	Jacala	2007/0059182 A1	3/2007	Stegemiller et al.	
6,491,496 B2	12/2002	Starkweather	2007/0128033 A1	6/2007	Lee et al.	
6,579,066 B1	6/2003	Saito et al.	2007/0258810 A1 *	11/2007	Aotsuka	F01D 5/143 415/206
6,722,851 B1	4/2004	Brittingham et al.	2007/0258819 A1 *	11/2007	Allen-Bradley	F01D 5/145 415/193 A
6,761,535 B1	7/2004	McGrath et al.	2008/0232968 A1 *	9/2008	Nguyen	F01D 5/143 416/193 R
6,790,005 B2	9/2004	Lee et al.	2009/0003987 A1	1/2009	Zausner et al.	
6,799,948 B2	10/2004	Ito et al.	2010/0143139 A1	6/2010	Pandey et al.	
6,957,949 B2	10/2005	Hyde et al.	2010/0158696 A1	6/2010	Pandey et al.	
6,966,756 B2	11/2005	McGrath et al.	2010/0196154 A1 *	8/2010	Sakamoto	F01D 5/143 415/208.2
6,969,232 B2 *	11/2005	Zess	2010/0278644 A1 *	11/2010	Gersbach	F01D 5/143 415/208.2
		F01D 5/145 415/191	2011/0044818 A1	2/2011	Kuhne et al.	
7,048,509 B2	5/2006	Tominaga et al.	2011/0189023 A1 *	8/2011	Guimbard	F01D 5/143 416/223 R
7,118,329 B2	10/2006	Goodman	2012/0163993 A1	6/2012	Levine et al.	
7,134,842 B2	11/2006	Tam et al.	2012/0201688 A1	8/2012	Mahle et al.	
7,220,100 B2	5/2007	Lee et al.	2012/0328451 A1	12/2012	Lomas et al.	
7,255,536 B2	8/2007	Cunha et al.	2013/0017095 A1	1/2013	Lee et al.	
7,281,894 B2	10/2007	Lee et al.	2013/0108424 A1 *	5/2013	Stein	F01D 5/145 415/183
7,377,746 B2	5/2008	Brassfield et al.	2014/0271225 A1	9/2014	Herzlinger et al.	
7,416,391 B2	8/2008	Veltre et al.	2015/0110639 A1	4/2015	Herzlinger et al.	
7,476,086 B2	1/2009	Wadia et al.	2015/0110640 A1	4/2015	Herzlinger et al.	
7,544,043 B2	6/2009	Eastman et al.	2015/0110641 A1	4/2015	Herzlinger et al.	
7,597,539 B1	10/2009	Liang				
7,632,062 B2	12/2009	Harvey et al.				
7,674,093 B2	3/2010	Lee et al.				
7,731,483 B2	6/2010	DeLong et al.				
7,766,606 B2	8/2010	Liang				
7,931,444 B2	4/2011	Godsk et al.				
7,985,052 B2	7/2011	Schott et al.				
7,997,875 B2	8/2011	Nanukuttan et al.				
8,052,395 B2	11/2011	Tragesser				
8,092,178 B2	1/2012	Marini et al.				
8,105,031 B2	1/2012	Trindade et al.				
8,105,037 B2	1/2012	Grover et al.				
8,133,030 B2	3/2012	Graffitti et al.				
8,133,032 B2	3/2012	Tibbott et al.				
8,147,188 B2	4/2012	Reeves et al.				
8,172,533 B2	5/2012	Pinero et al.				
8,347,947 B2	1/2013	Dube et al.				
8,371,815 B2	2/2013	Farrell				
8,449,249 B2	5/2013	Suchezky				
8,568,097 B1	10/2013	Liang				
8,591,189 B2	11/2013	Correia et al.				
8,602,740 B2	12/2013	O'Hearn et al.				
8,647,066 B2	2/2014	Guimbard et al.				

OTHER PUBLICATIONS

- U.S. Appl. No. 14/061,107, Office Action dated Apr. 5, 2016, 15 pages.
 U.S. Appl. No. 14/061,146 Notice of Allowance dated Apr. 11, 2016, 24 pages.
 U.S. Appl. No. 14/061,221, Office Action 1 dated Mar. 14, 2016, 15 pages.
 U.S. Appl. No. 14/061,193, Office Action 1 dated Mar. 16, 2016, 17 pages.
 U.S. Appl. No. 14/061,363, Office Action 1 dated Mar. 28, 2016, 23 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG. 5




FIG. 6

1

**TURBINE NOZZLE HAVING
NON-AXISYMMETRIC ENDWALL CONTOUR
(EWC)**

FIELD OF THE INVENTION

The subject matter disclosed herein relates to turbomachines. More particularly, the subject matter disclosed herein relates to components within turbomachines such as gas and/or steam turbines.

BACKGROUND OF THE INVENTION

Some aircraft and/or power plant systems, for example certain jet aircraft, nuclear, simple cycle and combined cycle power plant systems, employ turbines (also referred to as turbomachines) in their design and operation. Some of these turbines employ airfoils (e.g., turbine blades, blades, airfoils, etc.) which during operation are exposed to fluid flows. These airfoils are configured to aerodynamically interact with the fluid flows and generate energy (e.g., creating thrust, turning kinetic energy to mechanical energy, thermal energy to mechanical energy, etc.) from these fluid flows as part of power generation. As a result of this interaction and conversion, the aerodynamic characteristics and losses of these airfoils have an impact on system and turbine operation, performance, thrust, efficiency, and power.

BRIEF DESCRIPTION OF THE INVENTION

Various embodiments of the invention include turbine nozzles and systems employing such nozzles. Various particular embodiments include a turbine nozzle having: an airfoil having: a suction side; a pressure side opposing the suction side; a leading edge spanning between the pressure side and the suction side; and a trailing edge opposing the leading edge and spanning between the pressure side and the suction side; and at least one endwall connected with the airfoil along the suction side, pressure side, trailing edge and the leading edge, the at least one endwall including a non-axisymmetric contour proximate a junction between the endwall and the leading edge of the airfoil.

A first aspect of the invention includes a turbine nozzle having: an airfoil having: a suction side; a pressure side opposing the suction side; a leading edge spanning between the pressure side and the suction side; and a trailing edge opposing the leading edge and spanning between the pressure side and the suction side; and at least one endwall connected with the airfoil along the suction side, pressure side, trailing edge and the leading edge, the at least one endwall including a non-axisymmetric contour proximate a junction between the endwall and the leading edge of the airfoil.

A second aspect of the invention includes a static nozzle section having: a set of static nozzles, the set of static nozzles including at least one nozzle having: an airfoil having: a suction side; a pressure side opposing the suction side; a leading edge spanning between the pressure side and the suction side; and a trailing edge opposing the leading edge and spanning between the pressure side and the suction side; and at least one endwall connected with the airfoil along the suction side, pressure side, trailing edge and the leading edge, the at least one endwall including a non-axisymmetric contour proximate a junction between the endwall and the leading edge of the airfoil, wherein at least one of the suction side or the pressure side of the airfoil includes a nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in TABLE I, wherein the coordinate

2

values are non-dimensional values of from 0 to 1 convertible to distances by multiplying the values by a trailing edge height expressed in units of distance, and wherein X and Y values connected by smooth continuing arcs define airfoil profile sections at each distance Z along the airfoil, the profile sections at the Z distances being joined smoothly with one another to form the airfoil profile, wherein the Cartesian coordinate values have an origin at a root of the leading edge of the airfoil.

10 A third aspect of the invention includes a turbine having: a rotor section; and a static nozzle section at least partially surround the rotor section, the static nozzle section including a set of static nozzles, the set of static nozzles including at least one nozzle having: an airfoil having: a suction side; a pressure side opposing the suction side; a leading edge spanning between the pressure side and the suction side; and a trailing edge opposing the leading edge and spanning between the pressure side and the suction side; and at least one endwall connected with the airfoil along the suction side, pressure side, trailing edge and the leading edge, the at least one endwall including a non-axisymmetric contour proximate a junction between the endwall and the leading edge of the airfoil.

BRIEF DESCRIPTION OF THE DRAWINGS

These and other features of this invention will be more readily understood from the following detailed description of the various aspects of the invention taken in conjunction with the accompanying drawings that depict various embodiments of the invention, in which:

FIG. 1 shows a three-dimensional partial cut-away perspective view of a portion of a turbine according to an embodiment of the invention.

FIG. 2 shows a schematic three-dimensional depiction of a turbine nozzle including an airfoil and endwalls according to various embodiments of the invention.

FIG. 3 shows an example contour plot of an area along the endwall surrounding the airfoil of FIG. 2 according to various embodiments of the invention.

FIG. 4 shows a schematic three-dimensional depiction of a plurality of turbine nozzles according to various embodiments of the invention.

FIG. 5 shows a schematic block diagram illustrating portions of a multi-shaft combined cycle power plant system according to embodiments of the invention; and

FIG. 6 shows a schematic block diagram illustrating portions of a single-shaft combined cycle power plant system according to embodiments of the invention.

It is noted that the drawings of the invention are not necessarily to scale. The drawings are intended to depict only typical aspects of the invention, and therefore should not be considered as limiting the scope of the invention. It is understood that elements similarly numbered between the FIGURES may be substantially similar as described with reference to one another. Further, in embodiments shown and described with reference to FIGS. 1-6, like numbering may represent like elements. Redundant explanation of these elements has been omitted for clarity. Finally, it is understood that the components of FIGS. 1-6 and their accompanying descriptions may be applied to any embodiment described herein.

DETAILED DESCRIPTION OF THE INVENTION

As noted herein, various aspects of the invention are directed toward turbine nozzles. Particular aspects of the

invention include turbine nozzles having at least one endwall with a non-axisymmetric contour.

In contrast to conventional turbine nozzles, aspects of the invention include a turbine nozzle (e.g., a static nozzle for directing a working fluid such as gas or steam) having a non-axisymmetric contour at the leading edge of its endwall. This non-axisymmetric contour can provide for enhanced performance, efficiency and/or durability of the nozzle (and associated turbine stages and turbine machines) when compared with conventional nozzles.

As used herein, the terms “axial” and/or “axially” refer to the relative position/direction of objects along axis A, which is substantially parallel to the axis of rotation of the turbomachine (in particular, the rotor section). As further used herein, the terms “radial” and/or “radially” refer to the relative position/direction of objects along axis (r), which is substantially perpendicular with axis A and intersects axis A at only one location. Additionally, the terms “circumferential” and/or “circumferentially” refer to the relative position/direction of objects along a circumference which surrounds axis A but does not intersect the axis A at any location. Further, the terms leading edge/pressure side refer to components and/or surfaces which are oriented upstream relative to the fluid flow of the system, and the terms trailing edge/suction side refer to components and/or surfaces which are oriented downstream relative to the fluid flow of the system.

In the following description, reference is made to the accompanying drawings that form a part thereof, and in which is shown by way of illustration specific embodiments in which the present teachings may be practiced. These embodiments are described in sufficient detail to enable those skilled in the art to practice the present teachings and it is to be understood that other embodiments may be utilized and that changes may be made without departing from the scope of the present teachings. The following description is, therefore, merely exemplary.

Referring to the drawings, FIG. 1 shows a perspective partial cut-away illustration of a turbine 10 (e.g., a gas or steam turbine and/or an aviation jet engine) according to various embodiments of the invention. Turbine 10 includes a rotor 12 that includes a rotating shaft 14 and a plurality of axially spaced rotor wheels 18. A plurality of rotating buckets 20 are mechanically coupled to each rotor wheel 18. More specifically, buckets 20 are arranged in rows that extend circumferentially around each rotor wheel 18. A static nozzle section 21 is shown including a plurality of stationary nozzles 22 that circumferentially around shaft 14, and the nozzles 22 are axially positioned between adjacent rows of buckets 20. Stationary nozzles 22 cooperate with buckets 20 to form a stage of the turbine 10, and to define a portion of a flow path through turbine 10. As shown, the static nozzle section 21 at least partially surrounds the rotor 12 (shown in this cut-away view). It is understood that the turbine 10 shown is a dual-flow turbine 10 that includes an axially centered inlet mouth which feeds two sets of turbine stages. It is understood that various teachings can be applied to axial turbines, e.g., axial inlet gas turbines that inlet a combustion gas from a first axial end and outlet that combustion gas to a second axial end after the gas has performed mechanical work on the turbine.

Returning to FIG. 1, in operation, gas 24 enters an inlet 26 of turbine 10 and is channeled through stationary nozzles 22. Nozzles 22 direct gas 24 against blades 20. Gas 24 passes through the remaining stages imparting a force on buckets 20 causing shaft 14 to rotate. At least one end of turbine 10 may extend axially away from rotating shaft 12 and may be attached to a load or machinery (not shown) such as, but not limited to, a generator, and/or another turbine.

In one embodiment, turbine 10 may include five stages. The five stages are referred to as L0, L1, L2, L3 and L4. Stage L4 is the first stage and is the smallest (in a radial direction) of the five stages. Stage L3 is the second stage and is the next stage in an axial direction. Stage L2 is the third stage and is shown in the middle of the five stages. Stage L1 is the fourth and next-to-last stage. Stage L0 is the last stage and is the largest (in a radial direction). It is to be understood that five stages are shown as one example only, and each turbine may have more or less than five stages. Also, as will be described herein, the teachings of the invention do not require a multiple stage turbine. In another embodiment, turbine 10 may comprise an aircraft engine used to produce thrust.

Turning to FIG. 2, a schematic three-dimensional depiction of a turbine nozzle (or simply, nozzle) 200 is shown according to various embodiments. The nozzle 200 is a stationary nozzle which forms an annulus of stationary nozzles in a stage of a turbine (e.g., turbine 10). That is, during operation of a turbine (e.g., turbine 10), the nozzle 200 will remain stationary in order to direct the flow of working fluid (e.g., gas or steam) to one or more movable buckets (e.g., buckets 20), causing those movable buckets to initiate rotation of a rotor shaft (e.g., shaft 14). It is understood that nozzle 200 is configured to couple (mechanically couple via fasteners, welds, slot/grooves, etc.) with a plurality of similar or distinct nozzles (e.g., nozzles 200 or other nozzles) to form an annulus of nozzles in a stage of the turbine.

Returning to FIG. 2, the turbine nozzle 200 can include an airfoil 202 having a suction side 204, and a pressure side 206 (obstructed in this view) opposing the suction side 204. The nozzle 200 can also include a leading edge 208 spanning between the pressure side 206 and the suction side 204, and a trailing edge 210 opposing the leading edge 208 and spanning between the pressure side 206 and the suction side 204.

As shown, the nozzle 200 can also include at least one endwall 212 (two shown) connected with the airfoil 202. The nozzle 200 can be connected with the airfoil 202 along the suction side 204, pressure side 206, trailing edge 210 and the leading edge 208. In various embodiments, the nozzle 200 includes a fillet 214 connecting the nozzle 210 and each endwall 212. The fillet 214 can include a weld or braze fillet, which may be formed via conventional MIG welding, TIG welding, brazing, etc.

As described herein, and in contrast to conventional turbine nozzles, the turbine nozzle 200 can include at least one endwall 212 with a non-axisymmetric contour 218 proximate a junction 220 between the endwall 212 and the leading edge 208 of the airfoil 202. That is, the nozzle 200 includes an endwall 212 with a contour 218 proximate the junction 220 between the endwall 212 and the leading edge 208 of the airfoil 202 that improves the flow area around the airfoil 202 when compared with conventional nozzles.

In various embodiments, the contour 218 allows for more efficient fluid flow across the airfoil 202 than conventional nozzles 200, allowing for fewer heat load-related failures, and improving the efficiency of fluid flow within a turbine utilizing such a nozzle 200.

With reference to FIG. 1, in various embodiments, the nozzle 200 can include a first stage nozzle (L4) or second stage nozzle (L3). In particular embodiments, the nozzle 200 is a first stage nozzle (L4), and the improved flow profile across the airfoil 200 and endwall 212 interface allows that first stage nozzle (L4) to withstand the high-temperature gas entering the turbine 10 at that first stage. In various embodiments, the turbine 10 can include a set of nozzles 200 in only the first stage (L4) of the turbine 10, or in only the first stage (L4) and the second stage (L3) of the turbine 10.

In various embodiments, at least one of the endwalls 212 including the contour 218 can include an inner endwall, e.g., a radially inner endwall configured to align on the radially inner side of a the static nozzle section. In other embodiments, at least one of the endwalls 212 including the contour 218 can include an outer endwall, e.g., a radially outer endwall configured to align on the radially outer side of the static nozzle section. In some cases, both endwalls 212 include the contour 218, and in other cases, only one of the endwalls 212 includes the contour 218.

According to various embodiments, the non-axisymmetric contour 218 includes a first surface 222 along the endwall 212 on the suction side 204 of the leading edge 208, and a second surface 224 along the endwall 212 on the pressure side 206 of the leading edge 208. The second surface 224 and the first surface 222 can have distinct slopes, e.g., distinct radial v. circumferential ratios. In various embodiments, the first surface 222 has a distinct profile from the second surface 224. In some cases, the distinct profile includes distinct endwall features (e.g., bump(s), trough(s), etc.) in the first surface 222 as compared with the second surface 224 (having its own endwall features (e.g., bump(s), trough(s), etc.). In some cases, the second surface 224 has a substantially flat, or unsloped gradient, and the first surface 222 has a gradient distinct from the gradient of the second surface 224, e.g., a gradient that is positive or negative, but not equal to zero.

According to various particular embodiments, the first surface 222 has a first length L1 measured from a junction 228 of the suction side 204 and the leading edge 208 of the airfoil 202 along the endwall 212 to an outer edge 230 of the endwall 212. In these embodiments, the second surface 224 has a second length L2 measured from a junction 232 of the pressure side 206 and the leading edge 208 of the airfoil 202 along the endwall 212 to an inner edge 234 of the endwall 212. In various embodiments, the first length L1 is distinct from the second length L2, and in particular embodiments, the second length L2 is greater than the first length L1.

Turning to FIG. 3, a radial contour map of a portion of the endwall 212 (excluding the nozzle 200) is shown according to various embodiments. As can be seen in this example radial contour map, the contour 218 (shown in two parts as a leading edge pressure side feature 218A and a leading edge suction side feature 218B) can aid in improving aerodynamic efficiency proximate the leading edge 208 of the nozzle 200. The radial contour map also shows a passage trough 250 on the pressure side 206 of the nozzle 200.

With reference to FIG. 2 and FIG. 3, according to various particular embodiments, the non-axisymmetric contour 218 includes at least one bump (thickened area) 260 and a passage trough 250 on the pressure side 206 of the nozzle 200. In particular embodiments, the leading edge pressure side feature 218A can include at least one bump (thickened area) 260, and the leading edge suction side feature 218B can include at least one bump (thickened area) 260. It is understood that according to various embodiments, the bump (thickened area) 260 along the leading edge pressure side 218A can be thicker than the bump 260 along the leading edge suction side 218B (extending a greater distance toward the opposite endwall 212 from the second surface 224 than the bump 260 extends toward the opposite endwall from the first surface 222).

In various particular embodiments, each bump (thickened area) 260 can extend across approximately at least 10 percent of the axial length L_A (along axis A) of the endwall 212. In some particular cases, each thickened area 260 can extend across approximately 20-30 percent of the axial length L_A of the endwall 212.

In various particular embodiments, at least one bump 260 (within 218A) can have an apex at approximately 20% axial chord upstream of the leading edge 208 (+/-10%). In these cases, the bump 260 can have an approximately 10-20% pitch as measured from the pressure side 206.

In other particular embodiments, the at least one bump 260 (e.g., within 218B) has an apex at approximately 15-20% of the axial chord length of the leading edge 208 (+/-10%). In these cases, the bump 260 can have an approximately 0-5% pitch as measured from the suction side 204.

In various embodiments, the passage trough 250 includes a depression having an apex at approximately 50% (+/-10%) of the chord length of the pressure side 206 (+/-10%). In this case, the depression in the pressure trough 250 can have a 10-20% pitch as measured from the pressure side 206.

It is understood that in various embodiments, other apex locations and pitches are possible, and those values given herein are merely illustrative of several of the many possible embodiments in accordance with the disclosure.

With reference to FIG. 4 (and continuing reference to FIGS. 2-3), a plurality of points 270-278 along span S, including root 215 and tip 217, can correspond to Z coordinate values of chord lines, and a cross section of airfoil 202 at each point can be described by a respective set of X and Y coordinates. For example, 100 points can be listed for each cross section 270-278, though it should be apparent that more or fewer points can be used for each cross section, and more or fewer cross sections can be used, as may be desired and/or appropriate. The X, Y, and Z coordinate values in TABLE I have been expressed in normalized or non-dimensionalized form in values of from 0 to 1, but it should be apparent that any or all of the coordinate values could instead be expressed in distance units so long as the proportions are maintained. To convert an X, Y or Z value of TABLE I to a respective X, Y or Z coordinate value in units of distance, such as inches or meters, the non-dimensional X, Y or Z value given in TABLE I can be multiplied by a trailing edge height of airfoil 202 in such units of distance. By connecting the X and Y values with smooth continuing arcs, each profile cross section at each distance Z can be fixed, and the airfoil profiles of the various surface locations between the distances Z can be determined by smoothly connecting adjacent profile sections to one another, thus forming the airfoil profile.

The values in TABLE I are generated and shown to four decimal places for determining the profile of at least one of a suction side or a pressure side of a nominal airfoil 202 at ambient, non-operating, or non-hot conditions, and do not take any coatings or fillets into account, though embodiments could account for other conditions, coatings, and/or fillets. To allow for typical manufacturing tolerances and/or coating thicknesses, \pm values can be added to the values listed in TABLE I, particularly to the X and Y values therein. For example, a tolerance of about 10-20 percent of a thickness of the trailing edge in a direction normal to any surface location along the airfoil profile can define an airfoil profile envelope for a nozzle airfoil design at cold or room temperature. In other words, a distance of about 10-20 percent of a thickness of the trailing edge in a direction normal to any surface location along the airfoil profile can define a range of variation between measured points on an actual airfoil surface and ideal positions of those points, particularly at a cold or room temperature, as embodied by the invention. The nozzle airfoil design, as embodied by the invention, is robust to this range of variation without impairment of mechanical and aerodynamic functions. Likewise, the profile and/or design can be scaled up or down, such as geometrically, without impairment of operation, and such scaling can be facilitated by use of

normalized coordinate values, i.e. multiplying the normalized values by a scaling factor, or a larger or smaller number of distance units than might have originally been used. For example, the values in TABLE I, particularly the X and Y values, could be multiplied by a scaling factor of 2, 0.5, or any other desired scaling factor. Alternatively, the values could be multiplied by a larger or smaller desired span. As referenced herein, the origin of the X, Y, Z coordinate system is the root of the leading edge (junction 232) of the airfoil 202.

TABLE I

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
1	Suction-Side	0.00000	0.00000	0.00000
2	Suction-Side	0.00087	-0.01130	0.00000
3	Suction-Side	0.00307	-0.02242	0.00000
4	Suction-Side	0.00655	-0.03321	0.00000
5	Suction-Side	0.01123	-0.04353	0.00000
6	Suction-Side	0.01699	-0.05329	0.00000
7	Suction-Side	0.02370	-0.06243	0.00000
8	Suction-Side	0.03125	-0.07088	0.00000
9	Suction-Side	0.03952	-0.07864	0.00000
10	Suction-Side	0.04841	-0.08568	0.00000
11	Suction-Side	0.05784	-0.09197	0.00000
12	Suction-Side	0.06772	-0.09754	0.00000
13	Suction-Side	0.07799	-0.10235	0.00000
14	Suction-Side	0.08857	-0.10641	0.00000
15	Suction-Side	0.09942	-0.10971	0.00000
16	Suction-Side	0.11047	-0.11224	0.00000
17	Suction-Side	0.12168	-0.11399	0.00000
18	Suction-Side	0.13297	-0.11495	0.00000
19	Suction-Side	0.14431	-0.11512	0.00000
20	Suction-Side	0.15563	-0.11450	0.00000
21	Suction-Side	0.16688	-0.11309	0.00000
22	Suction-Side	0.17801	-0.11091	0.00000
23	Suction-Side	0.18896	-0.10798	0.00000
24	Suction-Side	0.19970	-0.10433	0.00000
25	Suction-Side	0.21017	-0.09998	0.00000
26	Suction-Side	0.22035	-0.09498	0.00000
27	Suction-Side	0.23020	-0.08937	0.00000
28	Suction-Side	0.23972	-0.08321	0.00000
29	Suction-Side	0.24888	-0.07653	0.00000
30	Suction-Side	0.25769	-0.06939	0.00000
31	Suction-Side	0.26615	-0.06183	0.00000
32	Suction-Side	0.27425	-0.05390	0.00000
33	Suction-Side	0.28201	-0.04563	0.00000
34	Suction-Side	0.28945	-0.03707	0.00000
35	Suction-Side	0.29656	-0.02824	0.00000
36	Suction-Side	0.30338	-0.01918	0.00000
37	Suction-Side	0.30991	-0.00991	0.00000
38	Suction-Side	0.31617	-0.00045	0.00000
39	Suction-Side	0.32218	0.00917	0.00000
40	Suction-Side	0.32795	0.01893	0.00000
41	Suction-Side	0.33349	0.02883	0.00000
42	Suction-Side	0.33882	0.03884	0.00000
43	Suction-Side	0.34395	0.04895	0.00000
44	Suction-Side	0.34889	0.05916	0.00000
45	Suction-Side	0.35367	0.06944	0.00000
46	Suction-Side	0.35828	0.07980	0.00000
47	Suction-Side	0.36275	0.09023	0.00000
48	Suction-Side	0.36707	0.10071	0.00000
49	Suction-Side	0.37126	0.11125	0.00000
50	Suction-Side	0.37532	0.12184	0.00000
51	Suction-Side	0.37928	0.13247	0.00000
52	Suction-Side	0.38313	0.14314	0.00000
53	Suction-Side	0.38688	0.15384	0.00000
54	Suction-Side	0.39054	0.16457	0.00000
55	Suction-Side	0.39411	0.17534	0.00000
56	Suction-Side	0.39760	0.18613	0.00000
57	Suction-Side	0.40103	0.19694	0.00000
58	Suction-Side	0.40438	0.20777	0.00000
59	Suction-Side	0.40767	0.21862	0.00000
60	Suction-Side	0.41091	0.22949	0.00000
61	Suction-Side	0.41409	0.24038	0.00000
62	Suction-Side	0.41722	0.25128	0.00000
63	Suction-Side	0.42030	0.26219	0.00000

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
64	Suction-Side	0.42334	0.27312	0.00000
65	Suction-Side	0.42634	0.28406	0.00000
66	Suction-Side	0.42931	0.29500	0.00000
67	Suction-Side	0.43224	0.30596	0.00000
68	Suction-Side	0.43515	0.31692	0.00000
69	Suction-Side	0.43803	0.32789	0.00000
70	Suction-Side	0.44089	0.33886	0.00000
71	Suction-Side	0.44372	0.34984	0.00000
72	Suction-Side	0.44653	0.36083	0.00000
73	Suction-Side	0.44932	0.37182	0.00000
74	Suction-Side	0.45209	0.38282	0.00000
75	Suction-Side	0.45484	0.39382	0.00000
76	Suction-Side	0.45757	0.40483	0.00000
77	Suction-Side	0.46029	0.41584	0.00000
78	Suction-Side	0.46300	0.42685	0.00000
79	Suction-Side	0.46569	0.43787	0.00000
80	Suction-Side	0.46836	0.44889	0.00000
81	Suction-Side	0.47103	0.45991	0.00000
82	Suction-Side	0.47367	0.47094	0.00000
83	Suction-Side	0.47631	0.48197	0.00000
84	Suction-Side	0.47893	0.49300	0.00000
85	Suction-Side	0.48154	0.50404	0.00000
86	Suction-Side	0.48414	0.51508	0.00000
87	Suction-Side	0.48673	0.52612	0.00000
88	Suction-Side	0.48931	0.53717	0.00000
89	Suction-Side	0.49187	0.54821	0.00000
90	Suction-Side	0.49443	0.55926	0.00000
91	Suction-Side	0.49697	0.57031	0.00000
92	Suction-Side	0.49950	0.58137	0.00000
93	Suction-Side	0.50203	0.59242	0.00000
94	Suction-Side	0.50454	0.60348	0.00000
95	Suction-Side	0.50705	0.61454	0.00000
96	Suction-Side	0.50955	0.62561	0.00000
97	Suction-Side	0.51204	0.63667	0.00000
98	Suction-Side	0.51452	0.64774	0.00000
99	Suction-Side	0.51697	0.65881	0.00000
100	Suction-Side	0.51502	0.66975	0.00000
101	Pressure-Side	0.50645	0.67681	0.00000
102	Pressure-Side	0.49797	0.67720	0.00000
103	Pressure-Side	0.49055	0.67305	0.00000
104	Pressure-Side	0.48615	0.66573	0.00000
105	Pressure-Side	0.48272	0.65784	0.00000
106	Pressure-Side	0.47928	0.64995	0.00000
107	Pressure-Side	0.47582	0.64207	0.00000
108	Pressure-Side	0.47234	0.63420	0.00000
109	Pressure-Side	0.46884	0.62634	0.00000
110	Pressure-Side	0.46532	0.61849	0.00000
111	Pressure-Side	0.46176	0.61065	0.00000
112	Pressure-Side	0.45818	0.60283	0.00000
113	Pressure-Side	0.45456	0.59502	0.00000
114	Pressure-Side	0.45090	0.58723	0.00000
115	Pressure-Side	0.44721	0.57946	0.00000
116	Pressure-Side	0.44347	0.57171	0.00000
117	Pressure-Side	0.43969	0.56398	0.00000
118	Pressure-Side	0.43587	0.55627	0.00000
119	Pressure-Side	0.43200	0.54858	0.00000
120	Pressure-Side	0.42809	0.54091	0.00000
121	Pressure-Side	0.42414	0.53327	0.00000
122	Pressure-Side	0.42014	0.52565	0.00000
123	Pressure-Side	0.41609	0.51806	0.00000
124	Pressure-Side	0.41200	0.51049	0.00000
125	Pressure-Side	0.40785	0.50295	0.00000
126	Pressure-Side	0.40366	0.49543	0.00000
127	Pressure-Side	0.39942	0.48795	0.00000
128	Pressure-Side	0.39512	0.48049	0.00000
129	Pressure-Side	0.39078	0.47306	0.00000
130	Pressure-Side	0.38638	0.46566	0.00000
131	Pressure-Side	0.38194	0.45830	0.00000
132	Pressure-Side	0.37744	0.45096	0.00000
133	Pressure-Side	0.37290	0.44365	0.00000
134	Pressure-Side	0.36831	0.43637	0.00000
135	Pressure-Side	0.36367	0.42912	0.00000
136	Pressure-Side	0.35898	0.42190	0.00000
137	Pressure-Side	0.35425	0.41472	0.00000
138	Pressure-Side	0.34947	0.40756	0.00000
139	Pressure-Side	0.34464	0.40044	0.00000

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
140	Pressure-Side	0.33977	0.39335	0.00000
141	Pressure-Side	0.33485	0.38629	0.00000
142	Pressure-Side	0.32989	0.37926	0.00000
143	Pressure-Side	0.32488	0.37226	0.00000
144	Pressure-Side	0.31983	0.36529	0.00000
145	Pressure-Side	0.31474	0.35835	0.00000
146	Pressure-Side	0.30961	0.35144	0.00000
147	Pressure-Side	0.30443	0.34457	0.00000
148	Pressure-Side	0.29922	0.33773	0.00000
149	Pressure-Side	0.29396	0.33091	0.00000
150	Pressure-Side	0.28866	0.32414	0.00000
151	Pressure-Side	0.28331	0.31739	0.00000
152	Pressure-Side	0.27793	0.31067	0.00000
153	Pressure-Side	0.27251	0.30399	0.00000
154	Pressure-Side	0.26704	0.29734	0.00000
155	Pressure-Side	0.26154	0.29073	0.00000
156	Pressure-Side	0.25600	0.28415	0.00000
157	Pressure-Side	0.25042	0.27760	0.00000
158	Pressure-Side	0.24479	0.27108	0.00000
159	Pressure-Side	0.23913	0.26460	0.00000
160	Pressure-Side	0.23343	0.25816	0.00000
161	Pressure-Side	0.22769	0.25175	0.00000
162	Pressure-Side	0.22191	0.24537	0.00000
163	Pressure-Side	0.21608	0.23904	0.00000
164	Pressure-Side	0.21022	0.23273	0.00000
165	Pressure-Side	0.20433	0.22647	0.00000
166	Pressure-Side	0.19839	0.22024	0.00000
167	Pressure-Side	0.19241	0.21405	0.00000
168	Pressure-Side	0.18640	0.20789	0.00000
169	Pressure-Side	0.18035	0.20177	0.00000
170	Pressure-Side	0.17427	0.19569	0.00000
171	Pressure-Side	0.16814	0.18964	0.00000
172	Pressure-Side	0.16199	0.18363	0.00000
173	Pressure-Side	0.15580	0.17765	0.00000
174	Pressure-Side	0.14958	0.17170	0.00000
175	Pressure-Side	0.14332	0.16579	0.00000
176	Pressure-Side	0.13704	0.15991	0.00000
177	Pressure-Side	0.13074	0.15405	0.00000
178	Pressure-Side	0.12441	0.14822	0.00000
179	Pressure-Side	0.11806	0.14241	0.00000
180	Pressure-Side	0.11169	0.13663	0.00000
181	Pressure-Side	0.10530	0.13086	0.00000
182	Pressure-Side	0.09891	0.12510	0.00000
183	Pressure-Side	0.09251	0.11935	0.00000
184	Pressure-Side	0.08611	0.11359	0.00000
185	Pressure-Side	0.07972	0.10783	0.00000
186	Pressure-Side	0.07334	0.10206	0.00000
187	Pressure-Side	0.06698	0.09626	0.00000
188	Pressure-Side	0.06066	0.09042	0.00000
189	Pressure-Side	0.05438	0.08453	0.00000
190	Pressure-Side	0.04817	0.07858	0.00000
191	Pressure-Side	0.04204	0.07253	0.00000
192	Pressure-Side	0.03603	0.06638	0.00000
193	Pressure-Side	0.03017	0.06007	0.00000
194	Pressure-Side	0.02451	0.05360	0.00000
195	Pressure-Side	0.01911	0.04690	0.00000
196	Pressure-Side	0.01405	0.03994	0.00000
197	Pressure-Side	0.00948	0.03265	0.00000
198	Pressure-Side	0.00555	0.02500	0.00000
199	Pressure-Side	0.00251	0.01695	0.00000
200	Pressure-Side	0.00058	0.00858	0.00000
1	Suction-Side	-0.00444	-0.00426	0.09696
2	Suction-Side	-0.00326	-0.01578	0.09696
3	Suction-Side	-0.00048	-0.02703	0.09696
4	Suction-Side	0.00379	-0.03779	0.09696
5	Suction-Side	0.00938	-0.04794	0.09696
6	Suction-Side	0.01610	-0.05737	0.09696
7	Suction-Side	0.02376	-0.06606	0.09696
8	Suction-Side	0.03222	-0.07399	0.09696
9	Suction-Side	0.04133	-0.08114	0.09696
10	Suction-Side	0.05099	-0.08754	0.09696
11	Suction-Side	0.06111	-0.09319	0.09696
12	Suction-Side	0.07161	-0.09809	0.09696
13	Suction-Side	0.08242	-0.10227	0.09696
14	Suction-Side	0.09349	-0.10570	0.09696
15	Suction-Side	0.10476	-0.10840	0.09696

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
16	Suction-Side	0.11618	-0.11036	0.09696
17	Suction-Side	0.12770	-0.11157	0.09696
18	Suction-Side	0.13928	-0.11204	0.09696
19	Suction-Side	0.15086	-0.11175	0.09696
20	Suction-Side	0.16241	-0.11070	0.09696
21	Suction-Side	0.17385	-0.10891	0.09696
22	Suction-Side	0.18516	-0.10637	0.09696
23	Suction-Side	0.19628	-0.10310	0.09696
24	Suction-Side	0.20717	-0.09913	0.09696
25	Suction-Side	0.21778	-0.09448	0.09696
26	Suction-Side	0.22809	-0.08919	0.09696
27	Suction-Side	0.23807	-0.08329	0.09696
28	Suction-Side	0.24769	-0.07684	0.09696
29	Suction-Side	0.25696	-0.06989	0.09696
30	Suction-Side	0.26586	-0.06246	0.09696
31	Suction-Side	0.27439	-0.05462	0.09696
32	Suction-Side	0.28256	-0.04639	0.09696
33	Suction-Side	0.29037	-0.03783	0.09696
34	Suction-Side	0.29784	-0.02897	0.09696
35	Suction-Side	0.30499	-0.01985	0.09696
36	Suction-Side	0.31182	-0.01049	0.09696
37	Suction-Side	0.31835	-0.00091	0.09696
38	Suction-Side	0.32461	0.00884	0.09696
39	Suction-Side	0.33060	0.01876	0.09696
40	Suction-Side	0.33635	0.02883	0.09696
41	Suction-Side	0.34186	0.03902	0.09696
42	Suction-Side	0.34716	0.04933	0.09696
43	Suction-Side	0.35225	0.05975	0.09696
44	Suction-Side	0.35715	0.07025	0.09696
45	Suction-Side	0.36187	0.08083	0.09696
46	Suction-Side	0.36643	0.09149	0.09696
47	Suction-Side	0.37084	0.10221	0.09696
48	Suction-Side	0.37510	0.11299	0.09696
49	Suction-Side	0.37922	0.12382	0.09696
50	Suction-Side	0.38322	0.13470	0.09696
51	Suction-Side	0.38710	0.14562	0.09696
52	Suction-Side	0.39088	0.15658	0.09696
53	Suction-Side	0.39455	0.16757	0.09696
54	Suction-Side	0.39813	0.17859	0.09696
55	Suction-Side	0.40161	0.18965	0.09696
56	Suction-Side	0.40502	0.20073	0.09696
57	Suction-Side	0.40835	0.21183	0.09696
58	Suction-Side	0.41161	0.22295	0.09696
59	Suction-Side	0.41481	0.23409	0.09696
60	Suction-Side	0.41794	0.24525	0.09696
61	Suction-Side	0.42101	0.25643	0.09696
62	Suction-Side	0.42403	0.26762	0.09696
63	Suction-Side	0.42699	0.27882	0.09696
64	Suction-Side	0.42991	0.29004	0.09696
65	Suction-Side	0.43279	0.30127	0.09696
66	Suction-Side	0.43562	0.31250	0.09696
67	Suction-Side	0.43842	0.32375	0.09696
68	Suction-Side	0.44119	0.33501	0.09696
69	Suction-Side	0.44392	0.34627	0.09696
70	Suction-Side	0.44663	0.35754	0.09696
71	Suction-Side	0.44930	0.36882	0.09696
72	Suction-Side	0.45195	0.38010	0.09696
73	Suction-Side	0.45457	0.39139	0.09696
74	Suction-Side	0.45717	0.40269	0.09696
75	Suction-Side	0.45975	0.41399	0.09696
76	Suction-Side	0.46230	0.42529	0.09696
77	Suction-Side	0.46484	0.43660	0.09696
78	Suction-Side	0.46736	0.44791	0.09696
79	Suction-Side	0.46986	0.45923	0.09696
80	Suction-Side	0.47235	0.47055	0.09696
81	Suction-Side	0.47481	0.48188	0.09696
82	Suction-Side	0.47727	0.49320	0.09696
83	Suction-Side	0.47970	0.50454	0.09696
84	Suction-Side	0.48213	0.51587	0.09696
85	Suction-Side	0.48453	0.52721	0.09696
86	Suction-Side	0.48693	0.53855	0.09696
87	Suction-Side	0.48931	0.54989	0.09696
88	Suction-Side	0.49167	0.56124	0.09696
89	Suction-Side	0.49403	0.57259	0.09696
90	Suction-Side	0.49637	0.58394	0.09696
91	Suction-Side	0.49870	0.59529	0.09696

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
92	Suction-Side	0.50101	0.60665	0.09696
93	Suction-Side	0.50332	0.61801	0.09696
94	Suction-Side	0.50562	0.62937	0.09696
95	Suction-Side	0.50791	0.64073	0.09696
96	Suction-Side	0.51018	0.65209	0.09696
97	Suction-Side	0.51245	0.66346	0.09696
98	Suction-Side	0.51471	0.67483	0.09696
99	Suction-Side	0.51696	0.68620	0.09696
100	Suction-Side	0.51498	0.69737	0.09696
101	Pressure-Side	0.50609	0.70438	0.09696
102	Pressure-Side	0.49732	0.70442	0.09696
103	Pressure-Side	0.48992	0.69969	0.09696
104	Pressure-Side	0.48578	0.69187	0.09696
105	Pressure-Side	0.48245	0.68361	0.09696
106	Pressure-Side	0.47911	0.67536	0.09696
107	Pressure-Side	0.47575	0.66712	0.09696
108	Pressure-Side	0.47237	0.65888	0.09696
109	Pressure-Side	0.46896	0.65066	0.09696
110	Pressure-Side	0.46552	0.64245	0.09696
111	Pressure-Side	0.46206	0.63425	0.09696
112	Pressure-Side	0.45857	0.62606	0.09696
113	Pressure-Side	0.45505	0.61788	0.09696
114	Pressure-Side	0.45150	0.60972	0.09696
115	Pressure-Side	0.44791	0.60157	0.09696
116	Pressure-Side	0.44428	0.59344	0.09696
117	Pressure-Side	0.44062	0.58533	0.09696
118	Pressure-Side	0.43691	0.57724	0.09696
119	Pressure-Side	0.43316	0.56916	0.09696
120	Pressure-Side	0.42937	0.56111	0.09696
121	Pressure-Side	0.42554	0.55308	0.09696
122	Pressure-Side	0.42166	0.54506	0.09696
123	Pressure-Side	0.41773	0.53707	0.09696
124	Pressure-Side	0.41376	0.52911	0.09696
125	Pressure-Side	0.40973	0.52117	0.09696
126	Pressure-Side	0.40566	0.51325	0.09696
127	Pressure-Side	0.40154	0.50536	0.09696
128	Pressure-Side	0.39736	0.49750	0.09696
129	Pressure-Side	0.39313	0.48967	0.09696
130	Pressure-Side	0.38884	0.48187	0.09696
131	Pressure-Side	0.38451	0.47409	0.09696
132	Pressure-Side	0.38011	0.46635	0.09696
133	Pressure-Side	0.37567	0.45864	0.09696
134	Pressure-Side	0.37117	0.45096	0.09696
135	Pressure-Side	0.36662	0.44331	0.09696
136	Pressure-Side	0.36201	0.43569	0.09696
137	Pressure-Side	0.35735	0.42811	0.09696
138	Pressure-Side	0.35263	0.42056	0.09696
139	Pressure-Side	0.34786	0.41304	0.09696
140	Pressure-Side	0.34304	0.40556	0.09696
141	Pressure-Side	0.33817	0.39811	0.09696
142	Pressure-Side	0.33324	0.39069	0.09696
143	Pressure-Side	0.32827	0.38331	0.09696
144	Pressure-Side	0.32324	0.37597	0.09696
145	Pressure-Side	0.31816	0.36866	0.09696
146	Pressure-Side	0.31303	0.36138	0.09696
147	Pressure-Side	0.30785	0.35414	0.09696
148	Pressure-Side	0.30262	0.34694	0.09696
149	Pressure-Side	0.29734	0.33977	0.09696
150	Pressure-Side	0.29202	0.33263	0.09696
151	Pressure-Side	0.28664	0.32554	0.09696
152	Pressure-Side	0.28122	0.31848	0.09696
153	Pressure-Side	0.27575	0.31145	0.09696
154	Pressure-Side	0.27024	0.30446	0.09696
155	Pressure-Side	0.26468	0.29751	0.09696
156	Pressure-Side	0.25907	0.29060	0.09696
157	Pressure-Side	0.25342	0.28372	0.09696
158	Pressure-Side	0.24772	0.27689	0.09696
159	Pressure-Side	0.24197	0.27009	0.09696
160	Pressure-Side	0.23618	0.26333	0.09696
161	Pressure-Side	0.23034	0.25661	0.09696
162	Pressure-Side	0.22446	0.24992	0.09696
163	Pressure-Side	0.21854	0.24328	0.09696
164	Pressure-Side	0.21257	0.23667	0.09696
165	Pressure-Side	0.20655	0.23011	0.09696
166	Pressure-Side	0.20050	0.22359	0.09696
167	Pressure-Side	0.19439	0.21711	0.09696

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)						
N	Location	X	Y	Z		
5	5	168	Pressure-Side	0.18825	0.21066	0.09696
5	169	Pressure-Side	0.18207	0.20426	0.09696	
5	170	Pressure-Side	0.17584	0.19790	0.09696	
5	171	Pressure-Side	0.16957	0.19158	0.09696	
5	172	Pressure-Side	0.16326	0.18530	0.09696	
10	173	Pressure-Side	0.15691	0.17906	0.09696	
10	174	Pressure-Side	0.15053	0.17286	0.09696	
10	175	Pressure-Side	0.14411	0.16669	0.09696	
10	176	Pressure-Side	0.13765	0.16056	0.09696	
10	177	Pressure-Side	0.13116	0.15447	0.09696	
10	178	Pressure-Side	0.12464	0.14841	0.09696	
10	179	Pressure-Side	0.11809	0.14238	0.09696	
15	180	Pressure-Side	0.11151	0.13638	0.09696	
15	181	Pressure-Side	0.10492	0.13041	0.09696	
15	182	Pressure-Side	0.09830	0.12445	0.09696	
15	183	Pressure-Side	0.09167	0.11851	0.09696	
15	184	Pressure-Side	0.08504	0.11257	0.09696	
15	185	Pressure-Side	0.07840	0.10664	0.09696	
20	186	Pressure-Side	0.07177	0.10070	0.09696	
20	187	Pressure-Side	0.06515	0.09475	0.09696	
20	188	Pressure-Side	0.05856	0.08876	0.09696	
20	189	Pressure-Side	0.05201	0.08273	0.09696	
20	190	Pressure-Side	0.04552	0.07664	0.09696	
20	191	Pressure-Side	0.03911	0.07047	0.09696	
25	192	Pressure-Side	0.03281	0.06418	0.09696	
25	193	Pressure-Side	0.02666	0.05774	0.09696	
25	194	Pressure-Side	0.02071	0.05112	0.09696	
25	195	Pressure-Side	0.01504	0.04426	0.09696	
25	196	Pressure-Side	0.00975	0.03710	0.09696	
25	197	Pressure-Side	0.00498	0.02958	0.09696	
30	198	Pressure-Side	0.00094	0.02166	0.09696	
30	199	Pressure-Side	-0.00215	0.01332	0.09696	
30	200	Pressure-Side	-0.00400	0.00462	0.09696	
35	1	Suction-Side	-0.00889	-0.00801	0.19392	
35	2	Suction-Side	-0.00745	-0.01974	0.19392	
35	3	Suction-Side	-0.00420	-0.03111	0.19392	
35	4	Suction-Side	0.00068	-0.04187	0.19392	
35	5	Suction-Side	0.00696	-0.05189	0.19392	
35	6	Suction-Side	0.01438	-0.06109	0.19392	
35	7	Suction-Side	0.02274	-0.06946	0.19392	
35	8	Suction-Side	0.03185	-0.07700	0.19392	
35	9	Suction-Side	0.04157	-0.08374	0.19392	
40	10	Suction-Side	0.05179	-0.08970	0.19392	
40	11	Suction-Side	0.06241	-0.09490	0.19392	
40	12	Suction-Side	0.07337	-0.09936	0.19392	
40	13	Suction-Side	0.08460	-0.10308	0.19392	
40	14	Suction-Side	0.09604	-0.10607	0.19392	
40	15	Suction-Side	0.10765	-0.10834	0.19392	
40	16	Suction-Side	0.11938	-0.10989	0.19392	
45	17	Suction-Side	0.13118	-0.11070	0.19392	
45	18	Suction-Side	0.14301	-0.11078	0.19392	
45	19	Suction-Side	0.15482	-0.11012	0.19392	
45	20	Suction-Side	0.16657	-0.10872	0.19392	
45	21	Suction-Side	0.17820	-0.10658	0.19392	
45	22	Suction-Side	0.18968	-0.10371	0.19392	
50	23	Suction-Side	0.20095	-0.10012	0.19392	
50	24	Suction-Side	0.21198	-0.09584	0.19392	
50	25	Suction-Side	0.22272	-0.09088	0.19392	
50	26	Suction-Side	0.23314	-0.08529	0.19392	
50	27	Suction-Side	0.24323	-0.07911	0.19392	
50	28	Suction-Side	0.25295	-0.07237	0.19392	
50	29	Suction-Side	0.26230	-0.06513	0.19392	
50	30	Suction-Side	0.27128	-0.05742	0.19392	
50	31	Suction-Side	0.27988	-0.04930	0.19392	
50	32	Suction-Side	0.28811	-0.04080	0.19392	
50	33	Suction-Side	0.29597	-0.03196	0.19392	
50	34	Suction-Side	0.30349	-0.02282	0.19392	
50	35	Suction-Side	0.31067	-0.01342	0.19392	
60	36	Suction-Side	0.31753	-0.00379	0.19392	
60	37	Suction-Side	0.32409	0.00606	0.19392	
60	38	Suction-Side	0.33037	0.01609	0.19392	
60	39	Suction-Side	0.33638	0.02628	0.19392	
60	40	Suction-Side	0.34213	0.03662	0.19392	
60	41	Suction-Side	0.34765	0.04708	0.19392	
65	42	Suction-Side	0.35294	0.05766	0.19392	
65	43	Suction-Side	0.35803	0.06835	0.19392	

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
44	Suction-Side	0.36292	0.07912	0.19392
45	Suction-Side	0.36763	0.08997	0.19392
46	Suction-Side	0.37217	0.10089	0.19392
47	Suction-Side	0.37656	0.11188	0.19392
48	Suction-Side	0.38079	0.12293	0.19392
49	Suction-Side	0.38489	0.13403	0.19392
50	Suction-Side	0.38886	0.14517	0.19392
51	Suction-Side	0.39271	0.15636	0.19392
52	Suction-Side	0.39645	0.16759	0.19392
53	Suction-Side	0.40008	0.17885	0.19392
54	Suction-Side	0.40361	0.19014	0.19392
55	Suction-Side	0.40705	0.20146	0.19392
56	Suction-Side	0.41040	0.21280	0.19392
57	Suction-Side	0.41368	0.22417	0.19392
58	Suction-Side	0.41688	0.23556	0.19392
59	Suction-Side	0.42001	0.24697	0.19392
60	Suction-Side	0.42307	0.25840	0.19392
61	Suction-Side	0.42607	0.26984	0.19392
62	Suction-Side	0.42901	0.28130	0.19392
63	Suction-Side	0.43190	0.29278	0.19392
64	Suction-Side	0.43473	0.30427	0.19392
65	Suction-Side	0.43752	0.31576	0.19392
66	Suction-Side	0.44026	0.32727	0.19392
67	Suction-Side	0.44297	0.33879	0.19392
68	Suction-Side	0.44563	0.35032	0.19392
69	Suction-Side	0.44826	0.36185	0.19392
70	Suction-Side	0.45085	0.37340	0.19392
71	Suction-Side	0.45341	0.38495	0.19392
72	Suction-Side	0.45594	0.39651	0.19392
73	Suction-Side	0.45843	0.40807	0.19392
74	Suction-Side	0.46090	0.41964	0.19392
75	Suction-Side	0.46335	0.43122	0.19392
76	Suction-Side	0.46577	0.44280	0.19392
77	Suction-Side	0.46817	0.45438	0.19392
78	Suction-Side	0.47055	0.46597	0.19392
79	Suction-Side	0.47291	0.47757	0.19392
80	Suction-Side	0.47525	0.48916	0.19392
81	Suction-Side	0.47757	0.50077	0.19392
82	Suction-Side	0.47987	0.51237	0.19392
83	Suction-Side	0.48215	0.52398	0.19392
84	Suction-Side	0.48442	0.53559	0.19392
85	Suction-Side	0.48668	0.54720	0.19392
86	Suction-Side	0.48891	0.55882	0.19392
87	Suction-Side	0.49113	0.57044	0.19392
88	Suction-Side	0.49334	0.58207	0.19392
89	Suction-Side	0.49554	0.59369	0.19392
90	Suction-Side	0.49772	0.60532	0.19392
91	Suction-Side	0.49989	0.61695	0.19392
92	Suction-Side	0.50205	0.62858	0.19392
93	Suction-Side	0.50420	0.64022	0.19392
94	Suction-Side	0.50634	0.65185	0.19392
95	Suction-Side	0.50847	0.66349	0.19392
96	Suction-Side	0.51059	0.67513	0.19392
97	Suction-Side	0.51270	0.68677	0.19392
98	Suction-Side	0.51480	0.69841	0.19392
99	Suction-Side	0.51690	0.71006	0.19392
100	Suction-Side	0.51494	0.72146	0.19392
101	Pressure-Side	0.50578	0.72849	0.19392
102	Pressure-Side	0.49676	0.72825	0.19392
103	Pressure-Side	0.48937	0.72304	0.19392
104	Pressure-Side	0.48544	0.71482	0.19392
105	Pressure-Side	0.48219	0.70625	0.19392
106	Pressure-Side	0.47891	0.69768	0.19392
107	Pressure-Side	0.47562	0.68913	0.19392
108	Pressure-Side	0.47231	0.68059	0.19392
109	Pressure-Side	0.46897	0.67205	0.19392
110	Pressure-Side	0.46560	0.66353	0.19392
111	Pressure-Side	0.46221	0.65501	0.19392
112	Pressure-Side	0.45879	0.64651	0.19392
113	Pressure-Side	0.45534	0.63802	0.19392
114	Pressure-Side	0.45185	0.62954	0.19392
115	Pressure-Side	0.44834	0.62108	0.19392
116	Pressure-Side	0.44447	0.61263	0.19392
117	Pressure-Side	0.44119	0.60420	0.19392
118	Pressure-Side	0.43757	0.59578	0.19392
119	Pressure-Side	0.43390	0.58738	0.19392

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)						
N	Location	X	Y	Z		
5	5	120	Pressure-Side	0.43019	0.57900	0.19392
10	121	Pressure-Side	0.42643	0.57064	0.19392	
15	122	Pressure-Side	0.42263	0.56230	0.19392	
20	123	Pressure-Side	0.41878	0.55398	0.19392	
25	124	Pressure-Side	0.41489	0.54568	0.19392	
30	125	Pressure-Side	0.41094	0.53741	0.19392	
35	126	Pressure-Side	0.40695	0.52916	0.19392	
40	127	Pressure-Side	0.40290	0.52094	0.19392	
45	128	Pressure-Side	0.39880	0.51274	0.19392	
50	129	Pressure-Side	0.39465	0.50457	0.19392	
55	130	Pressure-Side	0.39044	0.49643	0.19392	
60	131	Pressure-Side	0.38617	0.48832	0.19392	
65	132	Pressure-Side	0.38185	0.48024	0.19392	
70	133	Pressure-Side	0.37747	0.47218	0.19392	
75	134	Pressure-Side	0.37304	0.46416	0.19392	
80	135	Pressure-Side	0.36855	0.45617	0.19392	
85	136	Pressure-Side	0.36400	0.44822	0.19392	
90	137	Pressure-Side	0.35939	0.44029	0.19392	
95	138	Pressure-Side	0.35473	0.43240	0.19392	
100	139	Pressure-Side	0.35001	0.42455	0.19392	
105	140	Pressure-Side	0.34523	0.41673	0.19392	
110	141	Pressure-Side	0.34040	0.40894	0.19392	
115	142	Pressure-Side	0.33550	0.40119	0.19392	
120	143	Pressure-Side	0.33055	0.39348	0.19392	
125	144	Pressure-Side	0.32554	0.38581	0.19392	
130	145	Pressure-Side	0.32048	0.37817	0.19392	
135	146	Pressure-Side	0.31536	0.37056	0.19392	
140	147	Pressure-Side	0.31018	0.36300	0.19392	
145	148	Pressure-Side	0.30495	0.35547	0.19392	
150	149	Pressure-Side	0.29967	0.34798	0.19392	
155	150	Pressure-Side	0.29433	0.34053	0.19392	
160	151	Pressure-Side	0.28894	0.33312	0.19392	
165	152	Pressure-Side	0.28350	0.32575	0.19392	
170	153	Pressure-Side	0.27800	0.31841	0.19392	
175	154	Pressure-Side	0.27246	0.31111	0.19392	
180	155	Pressure-Side	0.26686	0.30386	0.19392	
185	156	Pressure-Side	0.26121	0.29664	0.19392	
190	157	Pressure-Side	0.25551	0.28947	0.19392	
195	158	Pressure-Side	0.24975	0.28233	0.19392	
200	159	Pressure-Side	0.24395	0.27524	0.19392	
205	160	Pressure-Side	0.23810	0.26819	0.19392	
210	161	Pressure-Side	0.23219	0.26117	0.19392	
215	162	Pressure-Side	0.22624	0.25420	0.19392	
220	163	Pressure-Side	0.22024	0.24728	0.19392	
225	164	Pressure-Side	0.21419	0.24039	0.19392	
230	165	Pressure-Side	0.20809	0.23355	0.19392	
235	166	Pressure-Side	0.20194	0.22675	0.19392	
240	167	Pressure-Side	0.19575	0.22000	0.19392	
245	168	Pressure-Side	0.18950	0.21329	0.19392	
250	169	Pressure-Side	0.18321	0.20663	0.19392	
255	170	Pressure-Side	0.17688	0.20001	0.19392	
260	171	Pressure-Side	0.17049	0.19343	0.19392	
265	172	Pressure-Side	0.16406	0.18690	0.19392	
270	173	Pressure-Side	0.15759	0.18041	0.19392	
275	174	Pressure-Side	0.15107	0.17397	0.19392	
280	175	Pressure-Side	0.14451	0.16757	0.19392	
285	176	Pressure-Side	0.13791	0.16121	0.19392	
290	177	Pressure-Side	0.13127	0.15489	0.19392	
295	178	Pressure-Side	0.12460	0.14861	0.19392	
300	179	Pressure-Side	0.11789	0.14236	0.19392	
305	180	Pressure-Side	0.11114	0.13616	0.19392	
310	181	Pressure-Side	0.10437	0.12998	0.19392	
315	182	Pressure-Side	0.09757	0.12383	0.19392	
320	183	Pressure-Side	0.09076	0.11771	0.19392	
325	184	Pressure-Side	0.08393	0.11160	0.19392	
330	185	Pressure-Side	0.07708	0.10550	0.19392	
335	186	Pressure-Side	0.07024	0.09940	0.19392	
340	187	Pressure-Side	0.06340	0.09330	0.19392	
345	188	Pressure-Side	0.05659	0.08717	0.19392	
350	189	Pressure-Side	0.04981	0.08101	0.19392	
355	190	Pressure-Side	0.04307	0.07479	0.19392	
360	191	Pressure-Side	0.03641	0.06849	0.19392	
365	192	Pressure-Side	0.02987	0.06208	0.19392	
370	193	Pressure-Side	0.02346	0.05552	0.19392	
375	194	Pressure-Side	0.01726	0.04878	0.19392	
380	195	Pressure-Side	0.01133	0.04179	0.19392	

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
196	Pressure-Side	0.00579	0.03448	0.19392
197	Pressure-Side	0.00080	0.02680	0.19392
198	Pressure-Side	-0.00343	0.01868	0.19392
199	Pressure-Side	-0.00663	0.01010	0.19392
200	Pressure-Side	-0.00851	0.00114	0.19392
1	Suction-Side	-0.01339	-0.01062	0.29087
2	Suction-Side	-0.01181	-0.02258	0.29087
3	Suction-Side	-0.00834	-0.03413	0.29087
4	Suction-Side	-0.00319	-0.04504	0.29087
5	Suction-Side	0.00338	-0.05516	0.29087
6	Suction-Side	0.01110	-0.06443	0.29087
7	Suction-Side	0.01976	-0.07284	0.29087
8	Suction-Side	0.02916	-0.08040	0.29087
9	Suction-Side	0.03917	-0.08714	0.29087
10	Suction-Side	0.04969	-0.09307	0.29087
11	Suction-Side	0.06060	-0.09821	0.29087
12	Suction-Side	0.07185	-0.10258	0.29087
13	Suction-Side	0.08337	-0.10619	0.29087
14	Suction-Side	0.09511	-0.10902	0.29087
15	Suction-Side	0.10700	-0.11109	0.29087
16	Suction-Side	0.11900	-0.11240	0.29087
17	Suction-Side	0.13106	-0.11293	0.29087
18	Suction-Side	0.14312	-0.11268	0.29087
19	Suction-Side	0.15515	-0.11165	0.29087
20	Suction-Side	0.16709	-0.10985	0.29087
21	Suction-Side	0.17888	-0.10729	0.29087
22	Suction-Side	0.19049	-0.10399	0.29087
23	Suction-Side	0.20187	-0.09996	0.29087
24	Suction-Side	0.21298	-0.09524	0.29087
25	Suction-Side	0.22378	-0.08986	0.29087
26	Suction-Side	0.23425	-0.08385	0.29087
27	Suction-Side	0.24437	-0.07726	0.29087
28	Suction-Side	0.25412	-0.07015	0.29087
29	Suction-Side	0.26349	-0.06255	0.29087
30	Suction-Side	0.27250	-0.05450	0.29087
31	Suction-Side	0.28113	-0.04606	0.29087
32	Suction-Side	0.28939	-0.03726	0.29087
33	Suction-Side	0.29730	-0.02815	0.29087
34	Suction-Side	0.30487	-0.01874	0.29087
35	Suction-Side	0.31211	-0.00908	0.29087
36	Suction-Side	0.31904	0.00080	0.29087
37	Suction-Side	0.32567	0.01089	0.29087
38	Suction-Side	0.33202	0.02116	0.29087
39	Suction-Side	0.33811	0.03158	0.29087
40	Suction-Side	0.34395	0.04215	0.29087
41	Suction-Side	0.34955	0.05284	0.29087
42	Suction-Side	0.35493	0.06365	0.29087
43	Suction-Side	0.36010	0.07456	0.29087
44	Suction-Side	0.36508	0.08556	0.29087
45	Suction-Side	0.36987	0.09663	0.29087
46	Suction-Side	0.37449	0.10779	0.29087
47	Suction-Side	0.37895	0.11900	0.29087
48	Suction-Side	0.38326	0.13028	0.29087
49	Suction-Side	0.38742	0.14161	0.29087
50	Suction-Side	0.39145	0.15299	0.29087
51	Suction-Side	0.39536	0.16442	0.29087
52	Suction-Side	0.39914	0.17588	0.29087
53	Suction-Side	0.40282	0.18738	0.29087
54	Suction-Side	0.40639	0.19891	0.29087
55	Suction-Side	0.40986	0.21048	0.29087
56	Suction-Side	0.41324	0.22207	0.29087
57	Suction-Side	0.41653	0.23368	0.29087
58	Suction-Side	0.41974	0.24532	0.29087
59	Suction-Side	0.42287	0.25698	0.29087
60	Suction-Side	0.42593	0.26865	0.29087
61	Suction-Side	0.42892	0.28035	0.29087
62	Suction-Side	0.43184	0.29206	0.29087
63	Suction-Side	0.43470	0.30379	0.29087
64	Suction-Side	0.43751	0.31553	0.29087
65	Suction-Side	0.44026	0.32729	0.29087
66	Suction-Side	0.44296	0.33905	0.29087
67	Suction-Side	0.44562	0.35083	0.29087
68	Suction-Side	0.44823	0.36262	0.29087
69	Suction-Side	0.45080	0.37441	0.29087
70	Suction-Side	0.45333	0.38622	0.29087
71	Suction-Side	0.45582	0.39803	0.29087

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
5	Suction-Side	0.45827	0.40985	0.29087
72	Suction-Side	0.46070	0.42168	0.29087
73	Suction-Side	0.46309	0.43351	0.29087
74	Suction-Side	0.46545	0.44535	0.29087
75	Suction-Side	0.46778	0.45719	0.29087
76	Suction-Side	0.47009	0.46904	0.29087
77	Suction-Side	0.47238	0.48090	0.29087
78	Suction-Side	0.47464	0.49276	0.29087
79	Suction-Side	0.47688	0.50462	0.29087
80	Suction-Side	0.47910	0.51648	0.29087
81	Suction-Side	0.48131	0.52835	0.29087
82	Suction-Side	0.48349	0.54023	0.29087
83	Suction-Side	0.48566	0.55210	0.29087
84	Suction-Side	0.48781	0.56398	0.29087
85	Suction-Side	0.48995	0.57586	0.29087
86	Suction-Side	0.49207	0.58775	0.29087
87	Suction-Side	0.49418	0.59963	0.29087
88	Suction-Side	0.49628	0.61152	0.29087
89	Suction-Side	0.49836	0.62341	0.29087
90	Suction-Side	0.50044	0.63531	0.29087
91	Suction-Side	0.50250	0.64720	0.29087
92	Suction-Side	0.50456	0.65910	0.29087
93	Suction-Side	0.50661	0.67099	0.29087
94	Suction-Side	0.50865	0.68289	0.29087
95	Suction-Side	0.51069	0.69479	0.29087
96	Suction-Side	0.51272	0.70669	0.29087
97	Suction-Side	0.51475	0.71859	0.29087
98	Suction-Side	0.51677	0.73049	0.29087
99	Suction-Side	0.51489	0.74214	0.29087
100	Suction-Side	0.50552	0.74927	0.29087
101	Pressure-Side	0.49628	0.74887	0.29087
102	Pressure-Side	0.48888	0.74332	0.29087
103	Pressure-Side	0.48509	0.73477	0.29087
104	Pressure-Side	0.48188	0.72594	0.29087
105	Pressure-Side	0.47865	0.71713	0.29087
106	Pressure-Side	0.47541	0.70832	0.29087
107	Pressure-Side	0.47214	0.69951	0.29087
108	Pressure-Side	0.46885	0.69072	0.29087
109	Pressure-Side	0.46553	0.68193	0.29087
110	Pressure-Side	0.46219	0.67316	0.29087
111	Pressure-Side	0.45882	0.66439	0.29087
112	Pressure-Side	0.45542	0.65564	0.29087
113	Pressure-Side	0.45198	0.64691	0.29087
114	Pressure-Side	0.44850	0.63818	0.29087
115	Pressure-Side	0.44499	0.62948	0.29087
116	Pressure-Side	0.44144	0.62078	0.29087
117	Pressure-Side	0.43784	0.61211	0.29087
118	Pressure-Side	0.43421	0.60345	0.29087
119	Pressure-Side	0.43053	0.59481	0.29087
120	Pressure-Side	0.42681	0.58619	0.29087
121	Pressure-Side	0.42304	0.57759	0.29087
122	Pressure-Side	0.41922	0.56901	0.29087
123	Pressure-Side	0.41536	0.56045	0.29087
124	Pressure-Side	0.41144	0.55192	0.29087
125	Pressure-Side	0.40748	0.54341	0.29087
126	Pressure-Side	0.40346	0.53492	0.29087
127	Pressure-Side	0.39939	0.52646	0.29087
128	Pressure-Side	0.39527	0.51802	0.29087
129	Pressure-Side	0.39109	0.50961	0.29087
130	Pressure-Side	0.38686	0.50123	0.29087
131	Pressure-Side	0.38257	0.49288	0.29087
132	Pressure-Side	0.37823	0.48456	0.29087
133	Pressure-Side	0.37383	0.47626	0.29087
134	Pressure-Side	0.36937	0.46800	0.29087
135	Pressure-Side	0.36486	0.45976	0.29087
136	Pressure-Side	0.36029	0.45156	0.29087
137	Pressure-Side	0.35567	0.44339	0.29087
138	Pressure-Side	0.35098	0.43525	0.29087
139	Pressure-Side	0.34624	0.42714	0.29087
140	Pressure-Side	0.34144	0.41907	0.29087
141	Pressure-Side	0.33659	0.41103	0.29087
142	Pressure-Side	0.33168	0.40303	0.29087
143	Pressure-Side	0.32671	0.39507	0.29087
144	Pressure-Side	0.32168	0.38714	0.29087
145	Pressure-Side	0.31659	0.37924	0.29087
146	Pressure-Side	0.31145	0.37139	0.29087
147	Pressure-Side			

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
148	Pressure-Side	0.30625	0.36357	0.29087
149	Pressure-Side	0.30099	0.35579	0.29087
150	Pressure-Side	0.29568	0.34804	0.29087
151	Pressure-Side	0.29031	0.34034	0.29087
152	Pressure-Side	0.28488	0.33268	0.29087
153	Pressure-Side	0.27940	0.32506	0.29087
154	Pressure-Side	0.27386	0.31748	0.29087
155	Pressure-Side	0.26826	0.30994	0.29087
156	Pressure-Side	0.26261	0.30244	0.29087
157	Pressure-Side	0.25690	0.29499	0.29087
158	Pressure-Side	0.25113	0.28758	0.29087
159	Pressure-Side	0.24530	0.28022	0.29087
160	Pressure-Side	0.23942	0.27289	0.29087
161	Pressure-Side	0.23349	0.26562	0.29087
162	Pressure-Side	0.22749	0.25839	0.29087
163	Pressure-Side	0.22145	0.25121	0.29087
164	Pressure-Side	0.21534	0.24407	0.29087
165	Pressure-Side	0.20918	0.23699	0.29087
166	Pressure-Side	0.20297	0.22995	0.29087
167	Pressure-Side	0.19670	0.22296	0.29087
168	Pressure-Side	0.19038	0.21602	0.29087
169	Pressure-Side	0.18400	0.20912	0.29087
170	Pressure-Side	0.17757	0.20228	0.29087
171	Pressure-Side	0.17108	0.19549	0.29087
172	Pressure-Side	0.16455	0.18875	0.29087
173	Pressure-Side	0.15796	0.18205	0.29087
174	Pressure-Side	0.15133	0.17541	0.29087
175	Pressure-Side	0.14465	0.16881	0.29087
176	Pressure-Side	0.13792	0.16226	0.29087
177	Pressure-Side	0.13115	0.15575	0.29087
178	Pressure-Side	0.12434	0.14929	0.29087
179	Pressure-Side	0.11749	0.14287	0.29087
180	Pressure-Side	0.11060	0.13649	0.29087
181	Pressure-Side	0.10368	0.13015	0.29087
182	Pressure-Side	0.09673	0.12383	0.29087
183	Pressure-Side	0.08976	0.11754	0.29087
184	Pressure-Side	0.08277	0.11127	0.29087
185	Pressure-Side	0.07576	0.10502	0.29087
186	Pressure-Side	0.06875	0.09878	0.29087
187	Pressure-Side	0.06174	0.09252	0.29087
188	Pressure-Side	0.05475	0.08626	0.29087
189	Pressure-Side	0.04779	0.07996	0.29087
190	Pressure-Side	0.04087	0.07361	0.29087
191	Pressure-Side	0.03403	0.06718	0.29087
192	Pressure-Side	0.02728	0.06065	0.29087
193	Pressure-Side	0.02068	0.05398	0.29087
194	Pressure-Side	0.01426	0.04712	0.29087
195	Pressure-Side	0.00811	0.04003	0.29087
196	Pressure-Side	0.00233	0.03263	0.29087
197	Pressure-Side	-0.00292	0.02484	0.29087
198	Pressure-Side	-0.00742	0.01661	0.29087
199	Pressure-Side	-0.01088	0.00789	0.29087
200	Pressure-Side	-0.01296	-0.00126	0.29087
1	Suction-Side	-0.01788	-0.01270	0.38783
2	Suction-Side	-0.01623	-0.02487	0.38783
3	Suction-Side	-0.01267	-0.03662	0.38783
4	Suction-Side	-0.00741	-0.04771	0.38783
5	Suction-Side	-0.00073	-0.05802	0.38783
6	Suction-Side	0.00710	-0.06748	0.38783
7	Suction-Side	0.01588	-0.07607	0.38783
8	Suction-Side	0.02543	-0.08380	0.38783
9	Suction-Side	0.03560	-0.09069	0.38783
10	Suction-Side	0.04629	-0.09673	0.38783
11	Suction-Side	0.05742	-0.10195	0.38783
12	Suction-Side	0.06888	-0.10636	0.38783
13	Suction-Side	0.08063	-0.10995	0.38783
14	Suction-Side	0.09260	-0.11272	0.38783
15	Suction-Side	0.10473	-0.11468	0.38783
16	Suction-Side	0.11697	-0.11581	0.38783
17	Suction-Side	0.12925	-0.11612	0.38783
18	Suction-Side	0.14152	-0.11561	0.38783
19	Suction-Side	0.15374	-0.11427	0.38783
20	Suction-Side	0.16584	-0.11214	0.38783
21	Suction-Side	0.17777	-0.10922	0.38783
22	Suction-Side	0.18949	-0.10554	0.38783
23	Suction-Side	0.20096	-0.10113	0.38783

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
5	Suction-Side	0.21214	-0.09603	0.38783
24	Suction-Side	0.22299	-0.09027	0.38783
25	Suction-Side	0.23350	-0.08391	0.38783
26	Suction-Side	0.24365	-0.07699	0.38783
27	Suction-Side	0.25344	-0.06955	0.38783
28	Suction-Side	0.26284	-0.06165	0.38783
10	Suction-Side	0.27188	-0.05332	0.38783
29	Suction-Side	0.28055	-0.04462	0.38783
30	Suction-Side	0.28886	-0.03557	0.38783
31	Suction-Side	0.29683	-0.02621	0.38783
32	Suction-Side	0.30445	-0.01657	0.38783
33	Suction-Side	0.31176	-0.00669	0.38783
34	Suction-Side	0.31876	0.00341	0.38783
15	Suction-Side	0.32547	0.01370	0.38783
35	Suction-Side	0.33190	0.02417	0.38783
36	Suction-Side	0.33807	0.03480	0.38783
37	Suction-Side	0.34399	0.04556	0.38783
20	Suction-Side	0.34969	0.05645	0.38783
41	Suction-Side	0.35515	0.06746	0.38783
42	Suction-Side	0.36041	0.07857	0.38783
43	Suction-Side	0.36547	0.08976	0.38783
25	Suction-Side	0.37035	0.10104	0.38783
44	Suction-Side	0.37505	0.11240	0.38783
45	Suction-Side	0.37958	0.12382	0.38783
25	Suction-Side	0.38396	0.13530	0.38783
49	Suction-Side	0.38819	0.14683	0.38783
50	Suction-Side	0.39229	0.15842	0.38783
51	Suction-Side	0.39625	0.17005	0.38783
52	Suction-Side	0.40009	0.18173	0.38783
53	Suction-Side	0.40381	0.19344	0.38783
30	Suction-Side	0.40742	0.20518	0.38783
54	Suction-Side	0.41093	0.21696	0.38783
60	Suction-Side	0.41434	0.22876	0.38783
61	Suction-Side	0.43010	0.28815	0.38783
62	Suction-Side	0.43303	0.30008	0.38783
63	Suction-Side	0.43589	0.31203	0.38783
64	Suction-Side	0.43869	0.32400	0.38783
65	Suction-Side	0.44144	0.33597	0.38783
66	Suction-Side	0.44413	0.34796	0.38783
40	Suction-Side	0.44677	0.35997	0.38783
67	Suction-Side	0.44936	0.37198	0.38783
68	Suction-Side	0.45190	0.38400	0.38783
69	Suction-Side	0.45440	0.39603	0.38783
70	Suction-Side	0.45687	0.40807	0.38783
71	Suction-Side	0.45929	0.42012	0.38783
72	Suction-Side	0.46168	0.43217	0.38783
73	Suction-Side	0.46403	0.44423	0.38783
74	Suction-Side	0.46635	0.45630	0.38783
75	Suction-Side	0.46864	0.46837	0.38783
76	Suction-Side	0.47091	0.48045	0.38783
77	Suction-Side	0.47315	0.49253	0.38783
50	Suction-Side	0.47537	0.50462	0.38783
79	Suction-Side	0.47756	0.51671	0.38783
80	Suction-Side	0.47973	0.52880	0.38783
81	Suction-Side	0.48188	0.54090	0.38783
82	Suction-Side	0.48402	0.55300	0.38783
83	Suction-Side	0.484613	0.56511	0.38783
84	Suction-Side	0.48823	0.57722	0.38783
55	Suction-Side	0.49032	0.58933	0.38783
86	Suction-Side	0.49239	0.60144	0.38783
87	Suction-Side	0.49445	0.61355	0.38783
88	Suction-Side	0.49664	0.62567	0.38783
89	Suction-Side	0.49855	0.63779	0.38783
90	Suction-Side	0.50058	0.64990	0.38783
91	Suction-Side	0.50260	0.66202	0.38783
92	Suction-Side	0.50462	0.67415	0.38783
93	Suction-Side	0.50664	0.68627	0.38783
94	Suction-Side	0.50865	0.69839	0.38783
95	Suction-Side	0.51065	0.71051	0.38783
96	Suction-Side	0.51265	0.72264	0.38783
60	Suction-Side	0.51465	0.73476	0.38783
65	Suction-Side	0.51665	0.74689	0.38783
97	Suction-Side	0.51865	0.75892	0.38783
98	Suction-Side	0.52065	0.77105	0.38783
99	Suction-Side	0.52265	0.78318	0.38783

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
100	Suction-Side	0.51488	0.75876	0.38783
101	Pressure-Side	0.50534	0.76600	0.38783
102	Pressure-Side	0.49593	0.76551	0.38783
103	Pressure-Side	0.48852	0.75969	0.38783
104	Pressure-Side	0.48481	0.75090	0.38783
105	Pressure-Side	0.48159	0.74189	0.38783
106	Pressure-Side	0.47836	0.73288	0.38783
107	Pressure-Side	0.47512	0.72387	0.38783
108	Pressure-Side	0.47185	0.71487	0.38783
109	Pressure-Side	0.46857	0.70588	0.38783
110	Pressure-Side	0.46526	0.69690	0.38783
111	Pressure-Side	0.46192	0.68792	0.38783
112	Pressure-Side	0.45856	0.67896	0.38783
113	Pressure-Side	0.45516	0.67001	0.38783
114	Pressure-Side	0.45172	0.66108	0.38783
115	Pressure-Side	0.44825	0.65216	0.38783
116	Pressure-Side	0.44474	0.64325	0.38783
117	Pressure-Side	0.44119	0.63436	0.38783
118	Pressure-Side	0.43760	0.62549	0.38783
119	Pressure-Side	0.43396	0.61663	0.38783
120	Pressure-Side	0.43029	0.60780	0.38783
121	Pressure-Side	0.42656	0.59898	0.38783
122	Pressure-Side	0.42279	0.59018	0.38783
123	Pressure-Side	0.41897	0.58140	0.38783
124	Pressure-Side	0.41510	0.57265	0.38783
125	Pressure-Side	0.41118	0.56391	0.38783
126	Pressure-Side	0.40721	0.55520	0.38783
127	Pressure-Side	0.40319	0.54651	0.38783
128	Pressure-Side	0.39912	0.53785	0.38783
129	Pressure-Side	0.39500	0.52921	0.38783
130	Pressure-Side	0.39082	0.52060	0.38783
131	Pressure-Side	0.38659	0.51201	0.38783
132	Pressure-Side	0.38231	0.50345	0.38783
133	Pressure-Side	0.37797	0.49492	0.38783
134	Pressure-Side	0.37358	0.48641	0.38783
135	Pressure-Side	0.36913	0.47794	0.38783
136	Pressure-Side	0.36463	0.46949	0.38783
137	Pressure-Side	0.36008	0.46107	0.38783
138	Pressure-Side	0.35546	0.45268	0.38783
139	Pressure-Side	0.35080	0.44432	0.38783
140	Pressure-Side	0.34608	0.43599	0.38783
141	Pressure-Side	0.34130	0.42770	0.38783
142	Pressure-Side	0.33647	0.41944	0.38783
143	Pressure-Side	0.33158	0.41121	0.38783
144	Pressure-Side	0.32663	0.40301	0.38783
145	Pressure-Side	0.32163	0.39485	0.38783
146	Pressure-Side	0.31658	0.38672	0.38783
147	Pressure-Side	0.31146	0.37863	0.38783
148	Pressure-Side	0.30629	0.37057	0.38783
149	Pressure-Side	0.30106	0.36255	0.38783
150	Pressure-Side	0.29578	0.35457	0.38783
151	Pressure-Side	0.29043	0.34663	0.38783
152	Pressure-Side	0.28503	0.33873	0.38783
153	Pressure-Side	0.27957	0.33086	0.38783
154	Pressure-Side	0.27405	0.32304	0.38783
155	Pressure-Side	0.26847	0.31527	0.38783
156	Pressure-Side	0.26283	0.30753	0.38783
157	Pressure-Side	0.25713	0.29984	0.38783
158	Pressure-Side	0.25138	0.29219	0.38783
159	Pressure-Side	0.24556	0.28459	0.38783
160	Pressure-Side	0.23968	0.27703	0.38783
161	Pressure-Side	0.23374	0.26953	0.38783
162	Pressure-Side	0.22774	0.26207	0.38783
163	Pressure-Side	0.22168	0.25466	0.38783
164	Pressure-Side	0.21556	0.24730	0.38783
165	Pressure-Side	0.20938	0.23999	0.38783
166	Pressure-Side	0.20313	0.23273	0.38783
167	Pressure-Side	0.19683	0.22553	0.38783
168	Pressure-Side	0.19047	0.21838	0.38783
169	Pressure-Side	0.18404	0.21128	0.38783
170	Pressure-Side	0.17756	0.20423	0.38783
171	Pressure-Side	0.17102	0.19724	0.38783
172	Pressure-Side	0.16443	0.19031	0.38783
173	Pressure-Side	0.15777	0.18342	0.38783
174	Pressure-Side	0.15107	0.17659	0.38783
175	Pressure-Side	0.14431	0.16982	0.38783

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
176	Pressure-Side	0.13750	0.16309	0.38783
177	Pressure-Side	0.13064	0.15641	0.38783
178	Pressure-Side	0.12374	0.14978	0.38783
179	Pressure-Side	0.11679	0.14320	0.38783
180	Pressure-Side	0.10979	0.13666	0.38783
181	Pressure-Side	0.10277	0.13016	0.38783
182	Pressure-Side	0.09571	0.12369	0.38783
183	Pressure-Side	0.08862	0.11726	0.38783
184	Pressure-Side	0.08152	0.11084	0.38783
185	Pressure-Side	0.07439	0.10445	0.38783
186	Pressure-Side	0.06726	0.09807	0.38783
187	Pressure-Side	0.06012	0.09169	0.38783
188	Pressure-Side	0.05300	0.08529	0.38783
189	Pressure-Side	0.04590	0.07887	0.38783
190	Pressure-Side	0.03884	0.07240	0.38783
191	Pressure-Side	0.03185	0.06587	0.38783
192	Pressure-Side	0.02494	0.05924	0.38783
193	Pressure-Side	0.01816	0.05248	0.38783
194	Pressure-Side	0.01155	0.04556	0.38783
195	Pressure-Side	0.00520	0.03840	0.38783
196	Pressure-Side	-0.00081	0.03095	0.38783
197	Pressure-Side	-0.00634	0.02314	0.38783
198	Pressure-Side	-0.01116	0.01487	0.38783
199	Pressure-Side	-0.01497	0.00609	0.38783
200	Pressure-Side	-0.01734	-0.00316	0.38783
1	Suction-Side	-0.02234	-0.01489	0.48479
2	Suction-Side	-0.02061	-0.02722	0.48479
3	Suction-Side	-0.01693	-0.03912	0.48479
4	Suction-Side	-0.01156	-0.05036	0.48479
5	Suction-Side	-0.00478	-0.06082	0.48479
6	Suction-Side	0.00316	-0.07043	0.48479
7	Suction-Side	0.01203	-0.07918	0.48479
8	Suction-Side	0.02168	-0.08706	0.48479
9	Suction-Side	0.03197	-0.09410	0.48479
10	Suction-Side	0.04279	-0.10029	0.48479
11	Suction-Side	0.05406	-0.10562	0.48479
12	Suction-Side	0.06569	-0.11011	0.48479
13	Suction-Side	0.07761	-0.11374	0.48479
14	Suction-Side	0.08976	-0.11652	0.48479
15	Suction-Side	0.10208	-0.11844	0.48479
16	Suction-Side	0.11450	-0.11948	0.48479
17	Suction-Side	0.12696	-0.11965	0.48479
18	Suction-Side	0.13941	-0.11896	0.48479
19	Suction-Side	0.15178	-0.11741	0.48479
20	Suction-Side	0.16401	-0.11503	0.48479
21	Suction-Side	0.17606	-0.11183	0.48479
22	Suction-Side	0.18787	-0.10785	0.48479
23	Suction-Side	0.19941	-0.10313	0.48479
24	Suction-Side	0.21064	-0.09771	0.48479
25	Suction-Side	0.22153	-0.09164	0.48479
26	Suction-Side	0.23206	-0.08497	0.48479
27	Suction-Side	0.24223	-0.07776	0.48479
28	Suction-Side	0.25202	-0.07004	0.48479
29	Suction-Side	0.26144	-0.06187	0.48479
30	Suction-Side	0.27048	-0.05330	0.48479
31	Suction-Side	0.27917	-0.04435	0.48479
32	Suction-Side	0.28749	-0.03507	0.48479
33	Suction-Side	0.29548	-0.02550	0.48479
34	Suction-Side	0.30314	-0.01566	0.48479
35	Suction-Side	0.31048	-0.00559	0.48479
36	Suction-Side	0.31752	0.00470	0.48479
37	Suction-Side	0.32428	0.01518	0.48479
38	Suction-Side	0.33075	0.02583	0.48479
39	Suction-Side	0.33697	0.03664	0.48479
40	Suction-Side	0.34295	0.04758	0.48479
41	Suction-Side	0.34870	0.05864	0.48479
42	Suction-Side	0.35422	0.06982	0.48479
43	Suction-Side	0.35954	0.08110	0.48479
44	Suction-Side	0.36465	0.09247	0.48479
45	Suction-Side	0.36959	0.10392	0.48479
46	Suction-Side	0.37434	0.11544	0.48479
47	Suction-Side	0.37893	0.12704	0.48479
48	Suction-Side	0.38336	0.13869	0.48479
49	Suction-Side	0.38763	0.15040	0.48479
50	Suction-Side	0.39177	0.16216	0.48479
51	Suction-Side	0.39578	0.17397	0.48479

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
52	Suction-Side	0.39965	0.18582	0.48479
53	Suction-Side	0.40341	0.19771	0.48479
54	Suction-Side	0.40706	0.20963	0.48479
55	Suction-Side	0.41059	0.22159	0.48479
56	Suction-Side	0.41403	0.23357	0.48479
57	Suction-Side	0.41738	0.24558	0.48479
58	Suction-Side	0.42063	0.25762	0.48479
59	Suction-Side	0.42380	0.26967	0.48479
60	Suction-Side	0.42689	0.28175	0.48479
61	Suction-Side	0.42990	0.29385	0.48479
62	Suction-Side	0.43284	0.30597	0.48479
63	Suction-Side	0.43571	0.31810	0.48479
64	Suction-Side	0.43852	0.33025	0.48479
65	Suction-Side	0.44127	0.34241	0.48479
66	Suction-Side	0.44396	0.35458	0.48479
67	Suction-Side	0.44661	0.36677	0.48479
68	Suction-Side	0.44920	0.37896	0.48479
69	Suction-Side	0.45175	0.39116	0.48479
70	Suction-Side	0.45425	0.40338	0.48479
71	Suction-Side	0.45671	0.41560	0.48479
72	Suction-Side	0.45913	0.42783	0.48479
73	Suction-Side	0.46152	0.44007	0.48479
74	Suction-Side	0.46387	0.45231	0.48479
75	Suction-Side	0.46619	0.46456	0.48479
76	Suction-Side	0.46847	0.47682	0.48479
77	Suction-Side	0.47073	0.48908	0.48479
78	Suction-Side	0.47297	0.50135	0.48479
79	Suction-Side	0.47518	0.51362	0.48479
80	Suction-Side	0.47737	0.52589	0.48479
81	Suction-Side	0.47953	0.53817	0.48479
82	Suction-Side	0.48168	0.55045	0.48479
83	Suction-Side	0.48381	0.56273	0.48479
84	Suction-Side	0.48592	0.57502	0.48479
85	Suction-Side	0.48801	0.58731	0.48479
86	Suction-Side	0.49009	0.59961	0.48479
87	Suction-Side	0.49216	0.61190	0.48479
88	Suction-Side	0.49422	0.62420	0.48479
89	Suction-Side	0.49627	0.63649	0.48479
90	Suction-Side	0.49832	0.64879	0.48479
91	Suction-Side	0.50035	0.66109	0.48479
92	Suction-Side	0.50239	0.67339	0.48479
93	Suction-Side	0.50441	0.68570	0.48479
94	Suction-Side	0.50643	0.69800	0.48479
95	Suction-Side	0.50845	0.71030	0.48479
96	Suction-Side	0.51047	0.72261	0.48479
97	Suction-Side	0.51249	0.73491	0.48479
98	Suction-Side	0.51451	0.74721	0.48479
99	Suction-Side	0.51653	0.75952	0.48479
100	Suction-Side	0.51489	0.77158	0.48479
101	Pressure-Side	0.50524	0.77896	0.48479
102	Pressure-Side	0.49569	0.77842	0.48479
103	Pressure-Side	0.48824	0.77243	0.48479
104	Pressure-Side	0.48456	0.76346	0.48479
105	Pressure-Side	0.48130	0.75430	0.48479
106	Pressure-Side	0.47802	0.74515	0.48479
107	Pressure-Side	0.47474	0.73600	0.48479
108	Pressure-Side	0.47143	0.72686	0.48479
109	Pressure-Side	0.46811	0.71772	0.48479
110	Pressure-Side	0.46476	0.70859	0.48479
111	Pressure-Side	0.46139	0.69948	0.48479
112	Pressure-Side	0.45799	0.69037	0.48479
113	Pressure-Side	0.45456	0.68127	0.48479
114	Pressure-Side	0.45109	0.67219	0.48479
115	Pressure-Side	0.44758	0.66313	0.48479
116	Pressure-Side	0.44404	0.65408	0.48479
117	Pressure-Side	0.44045	0.64504	0.48479
118	Pressure-Side	0.43682	0.63602	0.48479
119	Pressure-Side	0.43315	0.62702	0.48479
120	Pressure-Side	0.42944	0.61804	0.48479
121	Pressure-Side	0.42567	0.60907	0.48479
122	Pressure-Side	0.42187	0.60013	0.48479
123	Pressure-Side	0.41801	0.59121	0.48479
124	Pressure-Side	0.41410	0.58230	0.48479
125	Pressure-Side	0.41015	0.57342	0.48479
126	Pressure-Side	0.40615	0.56456	0.48479
127	Pressure-Side	0.40210	0.55573	0.48479

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)						
N	Location	X	Y	Z		
5	5	128	Pressure-Side	0.39799	0.54692	0.48479
5	129	Pressure-Side	0.39384	0.53813	0.48479	
5	130	Pressure-Side	0.38963	0.52936	0.48479	
5	131	Pressure-Side	0.38538	0.52062	0.48479	
5	132	Pressure-Side	0.38107	0.51191	0.48479	
10	133	Pressure-Side	0.37671	0.50322	0.48479	
10	134	Pressure-Side	0.37230	0.49456	0.48479	
10	135	Pressure-Side	0.36783	0.48592	0.48479	
10	136	Pressure-Side	0.36332	0.47731	0.48479	
10	137	Pressure-Side	0.35875	0.46873	0.48479	
10	138	Pressure-Side	0.35413	0.46018	0.48479	
10	139	Pressure-Side	0.34946	0.45165	0.48479	
10	140	Pressure-Side	0.34473	0.44316	0.48479	
10	141	Pressure-Side	0.33996	0.43469	0.48479	
10	142	Pressure-Side	0.33513	0.42625	0.48479	
10	143	Pressure-Side	0.33024	0.41785	0.48479	
10	144	Pressure-Side	0.32531	0.40947	0.48479	
10	145	Pressure-Side	0.32032	0.40113	0.48479	
20	146	Pressure-Side	0.31528	0.39282	0.48479	
20	147	Pressure-Side	0.31018	0.38454	0.48479	
20	148	Pressure-Side	0.30503	0.37630	0.48479	
20	149	Pressure-Side	0.29982	0.36809	0.48479	
20	150	Pressure-Side	0.29456	0.35992	0.48479	
20	151	Pressure-Side	0.28924	0.35178	0.48479	
20	152	Pressure-Side	0.28386	0.34368	0.48479	
20	153	Pressure-Side	0.27842	0.33562	0.48479	
20	154	Pressure-Side	0.27293	0.32761	0.48479	
20	155	Pressure-Side	0.26737	0.31963	0.48479	
20	156	Pressure-Side	0.26176	0.31169	0.48479	
20	157	Pressure-Side	0.25609	0.30380	0.48479	
20	158	Pressure-Side	0.25035	0.29595	0.48479	
20	159	Pressure-Side	0.24456	0.28814	0.48479	
20	160	Pressure-Side	0.23870	0.28039	0.48479	
20	161	Pressure-Side	0.23278	0.27268	0.48479	
20	162	Pressure-Side	0.22679	0.26501	0.48479	
20	163	Pressure-Side	0.22075	0.25740	0.48479	
35	164	Pressure-Side	0.21463	0.24984	0.48479	
35	165	Pressure-Side	0.20846	0.24234	0.48479	
35	166	Pressure-Side	0.20222	0.23488	0.48479	
35	167	Pressure-Side	0.19592	0.22748	0.48479	
35	168	Pressure-Side	0.18955	0.22013	0.48479	
35	169	Pressure-Side	0.18312	0.21284	0.48479	
35	170	Pressure-Side	0.17663	0.20560	0.48479	
35	171	Pressure-Side	0.17008	0.19842	0.48479	
35	172	Pressure-Side	0.16347	0.19130	0.48479	
35	173	Pressure-Side	0.15679	0.18423	0.48479	
35	174	Pressure-Side	0.15006	0.17722	0.48479	
35	175	Pressure-Side	0.14327	0.17026	0.48479	
35	176	Pressure-Side	0.13643	0.16336	0.48479	
35	177	Pressure-Side	0.12953	0.15650	0.48479	
35	178	Pressure-Side	0.12259	0.14970	0.48479	
35	179	Pressure-Side	0.11559	0.14295	0.48479	
35	180	Pressure-Side	0.10855	0.13625	0.48479	
35	181	Pressure-Side	0.10147	0.12959	0.48479	
35	182	Pressure-Side	0.09436	0.12296	0.48479	
35	183	Pressure-Side	0.08721	0.11638	0.48479	
35	184	Pressure-Side	0.08003	0.10982	0.48479	
35	185	Pressure-Side	0.07284	0.10328	0.48479	
35	186	Pressure-Side	0.06562	0.09676	0.48479	
35	187	Pressure-Side	0.05840	0.09025	0.48479	
35	188	Pressure-Side	0.05119	0.08374	0.48479	
35	189	Pressure-Side	0.04399	0.07721	0.48479	
35	190	Pressure-Side	0.03682	0.07064	0.48479	
35	191	Pressure-Side	0.02971	0.06401	0.48479	
35	192	Pressure-Side	0.02267	0.05731	0.48479	
35	193	Pressure-Side	0.01574	0.05049	0.48479	
35	194	Pressure-Side	0.00896	0.04352	0.48479	
35	195	Pressure-Side	0.00240	0.03635	0.48479	
60	196	Pressure-Side	-0.00385	0.02891	0.48479	
60	197	Pressure-Side	-0.00966	0.02112	0.48479	
60	198	Pressure-Side	-0.01482	0.01288	0.48479	
60	199	Pressure-Side	-0.01899	0.00411	0.48479	
60	200	Pressure-Side	-0.02169	-0.00522	0.48479	
65	1	Suction-Side	-0.02676	-0.01717	0.58175	
65	2	Suction-Side	-0.02494	-0.02963	0.58175	
65	3	Suction-Side	-0.02113	-0.04163	0.58175	

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
4	Suction-Side	-0.01563	-0.05296	0.58175
5	Suction-Side	-0.00874	-0.06350	0.58175
6	Suction-Side	-0.00071	-0.07321	0.58175
7	Suction-Side	0.00825	-0.08206	0.58175
8	Suction-Side	0.01799	-0.09005	0.58175
9	Suction-Side	0.02839	-0.09717	0.58175
10	Suction-Side	0.03932	-0.10344	0.58175
11	Suction-Side	0.05071	-0.10883	0.58175
12	Suction-Side	0.06247	-0.11335	0.58175
13	Suction-Side	0.07453	-0.11699	0.58175
14	Suction-Side	0.08683	-0.11974	0.58175
15	Suction-Side	0.09929	-0.12160	0.58175
16	Suction-Side	0.11186	-0.12256	0.58175
17	Suction-Side	0.12446	-0.12262	0.58175
18	Suction-Side	0.13703	-0.12179	0.58175
19	Suction-Side	0.14952	-0.12008	0.58175
20	Suction-Side	0.16185	-0.11752	0.58175
21	Suction-Side	0.17399	-0.11414	0.58175
22	Suction-Side	0.18588	-0.10996	0.58175
23	Suction-Side	0.19749	-0.10505	0.58175
24	Suction-Side	0.20877	-0.09943	0.58175
25	Suction-Side	0.21970	-0.09317	0.58175
26	Suction-Side	0.23028	-0.08631	0.58175
27	Suction-Side	0.24047	-0.07891	0.58175
28	Suction-Side	0.25029	-0.07101	0.58175
29	Suction-Side	0.25973	-0.06266	0.58175
30	Suction-Side	0.26880	-0.05390	0.58175
31	Suction-Side	0.27749	-0.04478	0.58175
32	Suction-Side	0.28583	-0.03533	0.58175
33	Suction-Side	0.29383	-0.02559	0.58175
34	Suction-Side	0.30150	-0.01559	0.58175
35	Suction-Side	0.30885	-0.00535	0.58175
36	Suction-Side	0.31590	0.00510	0.58175
37	Suction-Side	0.32265	0.01574	0.58175
38	Suction-Side	0.32913	0.02655	0.58175
39	Suction-Side	0.33534	0.03751	0.58175
40	Suction-Side	0.34131	0.04861	0.58175
41	Suction-Side	0.34705	0.05983	0.58175
42	Suction-Side	0.35257	0.07116	0.58175
43	Suction-Side	0.35787	0.08260	0.58175
44	Suction-Side	0.36298	0.09412	0.58175
45	Suction-Side	0.36790	0.10572	0.58175
46	Suction-Side	0.37264	0.11740	0.58175
47	Suction-Side	0.37721	0.12914	0.58175
48	Suction-Side	0.38163	0.14095	0.58175
49	Suction-Side	0.38589	0.15281	0.58175
50	Suction-Side	0.39001	0.16472	0.58175
51	Suction-Side	0.39400	0.17667	0.58175
52	Suction-Side	0.39787	0.18867	0.58175
53	Suction-Side	0.40161	0.20070	0.58175
54	Suction-Side	0.40525	0.21277	0.58175
55	Suction-Side	0.40878	0.22487	0.58175
56	Suction-Side	0.41221	0.23700	0.58175
57	Suction-Side	0.41554	0.24915	0.58175
58	Suction-Side	0.41879	0.26133	0.58175
59	Suction-Side	0.42196	0.27353	0.58175
60	Suction-Side	0.42504	0.28575	0.58175
61	Suction-Side	0.42806	0.29799	0.58175
62	Suction-Side	0.43101	0.31024	0.58175
63	Suction-Side	0.43389	0.32251	0.58175
64	Suction-Side	0.43671	0.33480	0.58175
65	Suction-Side	0.43948	0.34709	0.58175
66	Suction-Side	0.44219	0.35940	0.58175
67	Suction-Side	0.44485	0.37172	0.58175
68	Suction-Side	0.44747	0.38405	0.58175
69	Suction-Side	0.45004	0.39639	0.58175
70	Suction-Side	0.45258	0.40873	0.58175
71	Suction-Side	0.45507	0.42109	0.58175
72	Suction-Side	0.45752	0.43345	0.58175
73	Suction-Side	0.45995	0.44582	0.58175
74	Suction-Side	0.46234	0.45819	0.58175
75	Suction-Side	0.46469	0.47057	0.58175
76	Suction-Side	0.46703	0.48296	0.58175
77	Suction-Side	0.46933	0.49535	0.58175
78	Suction-Side	0.47161	0.50774	0.58175
79	Suction-Side	0.47387	0.52014	0.58175

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
80	Suction-Side	0.47611	0.53255	0.58175
81	Suction-Side	0.47833	0.54495	0.58175
82	Suction-Side	0.48052	0.55736	0.58175
83	Suction-Side	0.48271	0.56978	0.58175
84	Suction-Side	0.48487	0.58219	0.58175
85	Suction-Side	0.48702	0.59461	0.58175
86	Suction-Side	0.48916	0.60703	0.58175
87	Suction-Side	0.49129	0.61946	0.58175
88	Suction-Side	0.49341	0.63188	0.58175
89	Suction-Side	0.49552	0.64431	0.58175
90	Suction-Side	0.49762	0.65673	0.58175
91	Suction-Side	0.49972	0.66916	0.58175
92	Suction-Side	0.50181	0.68159	0.58175
93	Suction-Side	0.50390	0.69402	0.58175
94	Suction-Side	0.50599	0.70645	0.58175
95	Suction-Side	0.50807	0.71888	0.58175
96	Suction-Side	0.51015	0.73131	0.58175
97	Suction-Side	0.51223	0.74374	0.58175
98	Suction-Side	0.51431	0.75617	0.58175
99	Suction-Side	0.51640	0.76860	0.58175
100	Suction-Side	0.51493	0.78082	0.58175
101	Pressure-Side	0.50523	0.78834	0.58175
102	Pressure-Side	0.49557	0.78780	0.58175
103	Pressure-Side	0.48807	0.78169	0.58175
104	Pressure-Side	0.48434	0.77261	0.58175
105	Pressure-Side	0.48097	0.76337	0.58175
106	Pressure-Side	0.47760	0.75413	0.58175
107	Pressure-Side	0.47421	0.74490	0.58175
108	Pressure-Side	0.47080	0.73567	0.58175
109	Pressure-Side	0.46738	0.72645	0.58175
110	Pressure-Side	0.46393	0.71724	0.58175
111	Pressure-Side	0.46046	0.70803	0.58175
112	Pressure-Side	0.45697	0.69884	0.58175
113	Pressure-Side	0.45344	0.68966	0.58175
114	Pressure-Side	0.44989	0.68049	0.58175
115	Pressure-Side	0.44629	0.67133	0.58175
116	Pressure-Side	0.44267	0.66219	0.58175
117	Pressure-Side	0.43900	0.65306	0.58175
118	Pressure-Side	0.43530	0.64395	0.58175
119	Pressure-Side	0.43155	0.63485	0.58175
120	Pressure-Side	0.42777	0.62578	0.58175
121	Pressure-Side	0.42393	0.61672	0.58175
122	Pressure-Side	0.42006	0.60768	0.58175
123	Pressure-Side	0.41614	0.59866	0.58175
124	Pressure-Side	0.41217	0.58966	0.58175
125	Pressure-Side	0.40815	0.58068	0.58175
126	Pressure-Side	0.40409	0.57172	0.58175
127	Pressure-Side	0.39998	0.56278	0.58175
128	Pressure-Side	0.39582	0.55387	0.58175
129	Pressure-Side	0.39162	0.54498	0.58175
130	Pressure-Side	0.38736	0.53611	0.58175
131	Pressure-Side	0.38305	0.52727	0.58175
132	Pressure-Side	0.37870	0.51845	0.58175
133	Pressure-Side	0.37429	0.50966	0.58175
134	Pressure-Side	0.36984	0.50089	0.58175
135	Pressure-Side	0.36533	0.49214	0.58175
136	Pressure-Side	0.36078	0.48343	0.58175
137	Pressure-Side	0.35618	0.47473	0.58175
138	Pressure-Side	0.35152	0.46607	0.58175
139	Pressure-Side	0.34682	0.45743	0.58175
140	Pressure-Side	0.34207	0.44882	0.58175
141	Pressure-Side	0.33727	0.44023	0.58175
142	Pressure-Side	0.33242	0.43167	0.58175
143	Pressure-Side	0.32753	0.42314	0.58175
144	Pressure-Side	0.32258	0.41464	0.58175
145	Pressure-Side	0.31759	0.40617	0.58175
146	Pressure-Side	0.31254	0.39772	0.58175
147	Pressure-Side	0.30744	0.38931	0.58175
148	Pressure-Side	0.30230	0.38093	0.58175
149	Pressure-Side	0.29710	0.37258	0.58175
150	Pressure-Side	0.29185	0.36426	0.58175
151	Pressure-Side	0.28654	0.35598	0.58175
152	Pressure-Side	0.28119	0.34773	0.58175
153	Pressure-Side	0.27577	0.33952	0.58175
154	Pressure-Side	0.27031	0.33134	0.58175
155	Pressure-Side	0.26479	0.32320	0.58175

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
156	Pressure-Side	0.25921	0.31509	0.58175
157	Pressure-Side	0.25358	0.30703	0.58175
158	Pressure-Side	0.24789	0.29901	0.58175
159	Pressure-Side	0.24215	0.29102	0.58175
160	Pressure-Side	0.23634	0.28309	0.58175
161	Pressure-Side	0.23047	0.27519	0.58175
162	Pressure-Side	0.22454	0.26734	0.58175
163	Pressure-Side	0.21856	0.25954	0.58175
164	Pressure-Side	0.21250	0.25178	0.58175
165	Pressure-Side	0.20639	0.24408	0.58175
166	Pressure-Side	0.20021	0.23642	0.58175
167	Pressure-Side	0.19398	0.22882	0.58175
168	Pressure-Side	0.18767	0.22127	0.58175
169	Pressure-Side	0.18131	0.21377	0.58175
170	Pressure-Side	0.17488	0.20633	0.58175
171	Pressure-Side	0.16838	0.19894	0.58175
172	Pressure-Side	0.16182	0.19161	0.58175
173	Pressure-Side	0.15520	0.18434	0.58175
174	Pressure-Side	0.14852	0.17712	0.58175
175	Pressure-Side	0.14177	0.16996	0.58175
176	Pressure-Side	0.13497	0.16286	0.58175
177	Pressure-Side	0.12811	0.15581	0.58175
178	Pressure-Side	0.12119	0.14882	0.58175
179	Pressure-Side	0.11422	0.14188	0.58175
180	Pressure-Side	0.10720	0.13499	0.58175
181	Pressure-Side	0.10012	0.12816	0.58175
182	Pressure-Side	0.09301	0.12137	0.58175
183	Pressure-Side	0.08585	0.11462	0.58175
184	Pressure-Side	0.07866	0.10792	0.58175
185	Pressure-Side	0.07143	0.10124	0.58175
186	Pressure-Side	0.06418	0.09460	0.58175
187	Pressure-Side	0.05691	0.08797	0.58175
188	Pressure-Side	0.04963	0.08136	0.58175
189	Pressure-Side	0.04235	0.07474	0.58175
190	Pressure-Side	0.03509	0.06810	0.58175
191	Pressure-Side	0.02787	0.06143	0.58175
192	Pressure-Side	0.02070	0.05469	0.58175
193	Pressure-Side	0.01361	0.04788	0.58175
194	Pressure-Side	0.00664	0.04093	0.58175
195	Pressure-Side	-0.00013	0.03381	0.58175
196	Pressure-Side	-0.00665	0.02644	0.58175
197	Pressure-Side	-0.01278	0.01875	0.58175
198	Pressure-Side	-0.01831	0.01062	0.58175
199	Pressure-Side	-0.02290	0.00193	0.58175
200	Pressure-Side	-0.02597	-0.00740	0.58175
1	Suction-Side	-0.03111	-0.01991	0.67870
2	Suction-Side	-0.02914	-0.03243	0.67870
3	Suction-Side	-0.02510	-0.04444	0.67870
4	Suction-Side	-0.01936	-0.05574	0.67870
5	Suction-Side	-0.01225	-0.06624	0.67870
6	Suction-Side	-0.00403	-0.07589	0.67870
7	Suction-Side	0.00511	-0.08468	0.67870
8	Suction-Side	0.01501	-0.09262	0.67870
9	Suction-Side	0.02553	-0.09970	0.67870
10	Suction-Side	0.03658	-0.10592	0.67870
11	Suction-Side	0.04807	-0.11129	0.67870
12	Suction-Side	0.05993	-0.11579	0.67870
13	Suction-Side	0.07209	-0.11941	0.67870
14	Suction-Side	0.08447	-0.12216	0.67870
15	Suction-Side	0.09702	-0.12401	0.67870
16	Suction-Side	0.10967	-0.12497	0.67870
17	Suction-Side	0.12235	-0.12502	0.67870
18	Suction-Side	0.13501	-0.12418	0.67870
19	Suction-Side	0.14757	-0.12246	0.67870
20	Suction-Side	0.15999	-0.11987	0.67870
21	Suction-Side	0.17220	-0.11646	0.67870
22	Suction-Side	0.18417	-0.11224	0.67870
23	Suction-Side	0.19583	-0.10726	0.67870
24	Suction-Side	0.20718	-0.10158	0.67870
25	Suction-Side	0.21816	-0.09524	0.67870
26	Suction-Side	0.22878	-0.08829	0.67870
27	Suction-Side	0.23900	-0.08079	0.67870
28	Suction-Side	0.24884	-0.07278	0.67870
29	Suction-Side	0.25828	-0.06431	0.67870
30	Suction-Side	0.26734	-0.05543	0.67870
31	Suction-Side	0.27603	-0.04619	0.67870

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
32	Suction-Side	0.28435	-0.03661	0.67870
33	Suction-Side	0.29231	-0.02673	0.67870
34	Suction-Side	0.29994	-0.01659	0.67870
35	Suction-Side	0.30724	-0.00622	0.67870
36	Suction-Side	0.31423	0.00437	0.67870
37	Suction-Side	0.32092	0.01514	0.67870
38	Suction-Side	0.32734	0.02608	0.67870
39	Suction-Side	0.33349	0.03718	0.67870
40	Suction-Side	0.33940	0.04841	0.67870
41	Suction-Side	0.34507	0.05976	0.67870
42	Suction-Side	0.35051	0.07122	0.67870
43	Suction-Side	0.35574	0.08277	0.67870
44	Suction-Side	0.36078	0.09442	0.67870
45	Suction-Side	0.36563	0.10614	0.67870
46	Suction-Side	0.37030	0.11793	0.67870
47	Suction-Side	0.37481	0.12979	0.67870
48	Suction-Side	0.37916	0.14171	0.67870
49	Suction-Side	0.38337	0.15368	0.67870
50	Suction-Side	0.38744	0.16569	0.67870
51	Suction-Side	0.39138	0.17775	0.67870
52	Suction-Side	0.39519	0.18985	0.67870
53	Suction-Side	0.39890	0.20198	0.67870
54	Suction-Side	0.40249	0.21415	0.67870
55	Suction-Side	0.40599	0.22635	0.67870
56	Suction-Side	0.40939	0.23857	0.67870
57	Suction-Side	0.41271	0.25081	0.67870
58	Suction-Side	0.41594	0.26308	0.67870
59	Suction-Side	0.41910	0.27537	0.67870
60	Suction-Side	0.42218	0.28767	0.67870
61	Suction-Side	0.42520	0.30000	0.67870
62	Suction-Side	0.42815	0.31233	0.67870
63	Suction-Side	0.43105	0.32468	0.67870
64	Suction-Side	0.43389	0.33705	0.67870
65	Suction-Side	0.43668	0.34942	0.67870
66	Suction-Side	0.43942	0.36181	0.67870
67	Suction-Side	0.44212	0.37421	0.67870
68	Suction-Side	0.44478	0.38661	0.67870
69	Suction-Side	0.44741	0.39902	0.67870
70	Suction-Side	0.44999	0.41144	0.67870
71	Suction-Side	0.45254	0.42387	0.67870
72	Suction-Side	0.45506	0.43631	0.67870
73	Suction-Side	0.45754	0.44875	0.67870
74	Suction-Side	0.46000	0.46119	0.67870
75	Suction-Side	0.46243	0.47364	0.67870
76	Suction-Side	0.46484	0.48610	0.67870
77	Suction-Side	0.46722	0.49856	0.67870
78	Suction-Side	0.46958	0.51102	0.67870
79	Suction-Side	0.47193	0.52349	0.67870
80	Suction-Side	0.47425	0.53596	0.67870
81	Suction-Side	0.47655	0.54844	0.67870
82	Suction-Side	0.47884	0.56092	0.67870
83	Suction-Side	0.48111	0.57340	0.67870
84	Suction-Side	0.48336	0.58588	0.67870
85	Suction-Side	0.48561	0.59837	0.67870
86	Suction-Side	0.48784	0.61086	0.67870
87	Suction-Side	0.49006	0.62335	0.67870
88	Suction-Side	0.49227	0.63584	0.67870
89	Suction-Side	0.49447	0.64834	0.67870
90	Suction-Side	0.49667	0.66083	0.67870
91	Suction-Side	0.49886	0.67333	0.67870
92	Suction-Side	0.50105	0.68582	0.67870
93	Suction-Side	0.50324	0.69832	0.67870
94	Suction-Side	0.50542	0.71082	0.67870
95	Suction-Side	0.50760	0.72332	0.67870
96	Suction-Side	0.50977	0.73581	0.67870
97	Suction-Side	0.51195	0.74831	0.67870
98	Suction-Side	0.51412	0.76081	0.67870
99	Suction-Side	0.51629	0.77331	0.67870
100	Suction-Side	0.51500	0.78563	0.67870
101	Pressure-Side	0.50531	0.79328	0.67870
102	Pressure-Side	0.49558	0.79279	0.67870
103	Pressure-Side	0.48800	0.78666	0.67870
104	Pressure-Side	0.48418	0.77753	0.67870
105	Pressure-Side	0.48067	0.76826	0.67870
106	Pressure-Side	0.47716	0.75899	0.67870
107	Pressure-Side	0.47363	0.74972	0.67870

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
108	Pressure-Side	0.47008	0.74046	0.67870
109	Pressure-Side	0.46652	0.73121	0.67870
110	Pressure-Side	0.46294	0.72197	0.67870
111	Pressure-Side	0.45934	0.71273	0.67870
112	Pressure-Side	0.45571	0.70351	0.67870
113	Pressure-Side	0.45205	0.69429	0.67870
114	Pressure-Side	0.44837	0.68509	0.67870
115	Pressure-Side	0.44466	0.67590	0.67870
116	Pressure-Side	0.44091	0.66672	0.67870
117	Pressure-Side	0.43713	0.65755	0.67870
118	Pressure-Side	0.43331	0.64840	0.67870
119	Pressure-Side	0.42946	0.63927	0.67870
120	Pressure-Side	0.42557	0.63015	0.67870
121	Pressure-Side	0.42163	0.62105	0.67870
122	Pressure-Side	0.41766	0.61197	0.67870
123	Pressure-Side	0.41363	0.60291	0.67870
124	Pressure-Side	0.40957	0.59387	0.67870
125	Pressure-Side	0.40546	0.58485	0.67870
126	Pressure-Side	0.40131	0.57584	0.67870
127	Pressure-Side	0.39710	0.56687	0.67870
128	Pressure-Side	0.39286	0.55791	0.67870
129	Pressure-Side	0.38856	0.54897	0.67870
130	Pressure-Side	0.38422	0.54006	0.67870
131	Pressure-Side	0.37983	0.53117	0.67870
132	Pressure-Side	0.37539	0.52231	0.67870
133	Pressure-Side	0.37090	0.51347	0.67870
134	Pressure-Side	0.36637	0.50465	0.67870
135	Pressure-Side	0.36179	0.49586	0.67870
136	Pressure-Side	0.35716	0.48709	0.67870
137	Pressure-Side	0.35249	0.47835	0.67870
138	Pressure-Side	0.34777	0.46963	0.67870
139	Pressure-Side	0.34301	0.46093	0.67870
140	Pressure-Side	0.33820	0.45227	0.67870
141	Pressure-Side	0.33334	0.44362	0.67870
142	Pressure-Side	0.32845	0.43500	0.67870
143	Pressure-Side	0.32350	0.42641	0.67870
144	Pressure-Side	0.31851	0.41784	0.67870
145	Pressure-Side	0.31348	0.40930	0.67870
146	Pressure-Side	0.30841	0.40079	0.67870
147	Pressure-Side	0.30328	0.39230	0.67870
148	Pressure-Side	0.29812	0.38384	0.67870
149	Pressure-Side	0.29290	0.37541	0.67870
150	Pressure-Side	0.28764	0.36700	0.67870
151	Pressure-Side	0.28234	0.35863	0.67870
152	Pressure-Side	0.27699	0.35028	0.67870
153	Pressure-Side	0.27159	0.34197	0.67870
154	Pressure-Side	0.26614	0.33369	0.67870
155	Pressure-Side	0.26065	0.32543	0.67870
156	Pressure-Side	0.25511	0.31721	0.67870
157	Pressure-Side	0.24951	0.30903	0.67870
158	Pressure-Side	0.24387	0.30087	0.67870
159	Pressure-Side	0.23818	0.29276	0.67870
160	Pressure-Side	0.23244	0.28468	0.67870
161	Pressure-Side	0.22664	0.27663	0.67870
162	Pressure-Side	0.22079	0.26863	0.67870
163	Pressure-Side	0.21489	0.26067	0.67870
164	Pressure-Side	0.20893	0.25275	0.67870
165	Pressure-Side	0.20291	0.24487	0.67870
166	Pressure-Side	0.19683	0.23703	0.67870
167	Pressure-Side	0.19070	0.22924	0.67870
168	Pressure-Side	0.18451	0.22150	0.67870
169	Pressure-Side	0.17826	0.21381	0.67870
170	Pressure-Side	0.17194	0.20616	0.67870
171	Pressure-Side	0.16557	0.19857	0.67870
172	Pressure-Side	0.15914	0.19103	0.67870
173	Pressure-Side	0.15264	0.18354	0.67870
174	Pressure-Side	0.14608	0.17611	0.67870
175	Pressure-Side	0.13946	0.16873	0.67870
176	Pressure-Side	0.13278	0.16141	0.67870
177	Pressure-Side	0.12603	0.15414	0.67870
178	Pressure-Side	0.11923	0.14693	0.67870
179	Pressure-Side	0.11236	0.13978	0.67870
180	Pressure-Side	0.10544	0.13268	0.67870
181	Pressure-Side	0.09846	0.12565	0.67870
182	Pressure-Side	0.09142	0.11866	0.67870
183	Pressure-Side	0.08434	0.11173	0.67870

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
5				
184	Pressure-Side	0.07720	0.10484	0.67870
185	Pressure-Side	0.07002	0.09801	0.67870
186	Pressure-Side	0.06279	0.09122	0.67870
187	Pressure-Side	0.05553	0.08447	0.67870
188	Pressure-Side	0.04824	0.07775	0.67870
189	Pressure-Side	0.04093	0.07106	0.67870
190	Pressure-Side	0.03362	0.06437	0.67870
191	Pressure-Side	0.02630	0.05767	0.67870
192	Pressure-Side	0.01902	0.05095	0.67870
193	Pressure-Side	0.01177	0.04419	0.67870
194	Pressure-Side	0.00462	0.03732	0.67870
195	Pressure-Side	-0.00240	0.03032	0.67870
196	Pressure-Side	-0.00922	0.02312	0.67870
197	Pressure-Side	-0.01570	0.01563	0.67870
198	Pressure-Side	-0.02166	0.00770	0.67870
199	Pressure-Side	-0.02671	-0.00082	0.67870
200	Pressure-Side	-0.03018	-0.01008	0.67870
20				
1	Suction-Side	-0.03544	-0.02282	0.77566
2	Suction-Side	-0.03332	-0.03535	0.77566
3	Suction-Side	-0.02904	-0.04732	0.77566
4	Suction-Side	-0.02306	-0.05855	0.77566
5	Suction-Side	-0.01574	-0.06895	0.77566
6	Suction-Side	-0.00734	-0.07850	0.77566
7	Suction-Side	0.00193	-0.08721	0.77566
8	Suction-Side	0.01193	-0.09508	0.77566
9	Suction-Side	0.02254	-0.10211	0.77566
10	Suction-Side	0.03366	-0.10830	0.77566
11	Suction-Side	0.04520	-0.11366	0.77566
12	Suction-Side	0.05710	-0.11817	0.77566
13	Suction-Side	0.06929	-0.12181	0.77566
14	Suction-Side	0.08171	-0.12459	0.77566
15	Suction-Side	0.09429	-0.12650	0.77566
16	Suction-Side	0.10698	-0.12751	0.77566
17	Suction-Side	0.11970	-0.12765	0.77566
18	Suction-Side	0.13240	-0.12689	0.77566
19	Suction-Side	0.14502	-0.12525	0.77566
20	Suction-Side	0.15750	-0.12274	0.77566
21	Suction-Side	0.16977	-0.11939	0.77566
22	Suction-Side	0.18180	-0.11523	0.77566
23	Suction-Side	0.19353	-0.11030	0.77566
24	Suction-Side	0.20493	-0.10464	0.77566
25	Suction-Side	0.21597	-0.09831	0.77566
26	Suction-Side	0.22663	-0.09135	0.77566
27	Suction-Side	0.23688	-0.08382	0.77566
28	Suction-Side	0.24674	-0.07577	0.77566
29	Suction-Side	0.25619	-0.06724	0.77566
30	Suction-Side	0.26524	-0.05830	0.77566
31	Suction-Side	0.27390	-0.04897	0.77566
32	Suction-Side	0.28218	-0.03931	0.77566
33	Suction-Side	0.29009	-0.02934	0.77566
34	Suction-Side	0.29765	-0.01910	0.77566
35	Suction-Side	0.30488	-0.00862	0.77566
36	Suction-Side	0.31179	0.00207	0.77566
37	Suction-Side	0.31839	0.01295	0.77566
38	Suction-Side	0.32471	0.02400	0.77566
39	Suction-Side	0.33076	0.03519	0.77566
40	Suction-Side	0.33656	0.04652	0.77566
41	Suction-Side	0.34212	0.05797	0.77566
42	Suction-Side	0.34745	0.06953	0.77566
43	Suction-Side	0.35257	0.08118	0.77566
44	Suction-Side	0.35750	0.09292	0.77566
45	Suction-Side	0.36224	0.10473	0.77566
46	Suction-Side	0.36681	0.11661	0.77566
47	Suction-Side	0.37121	0.12855	0.77566
48	Suction-Side	0.37547	0.14054	0.77566
49	Suction-Side	0.37958	0.15259	0.77566
50	Suction-Side	0.38357	0.16468	0.77566
51	Suction-Side	0.38743	0.17681	0.77566
52	Suction-Side	0.39117	0.18897	0.77566
53	Suction-Side	0.39481	0.20117	0.77566
54	Suction-Side	0.39835	0.21339	0.77566
55	Suction-Side	0.40179	0.22565	0.77566
56	Suction-Side	0.40516	0.23792	0.77566
57	Suction-Side	0.40844	0.25022	0.77566
58	Suction-Side	0.41166	0.26253	0.77566
59	Suction-Side	0.41480	0.27487	0.77566

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
60	Suction-Side	0.41788	0.28721	0.77566
61	Suction-Side	0.42090	0.29958	0.77566
62	Suction-Side	0.42387	0.31196	0.77566
63	Suction-Side	0.42679	0.32435	0.77566
64	Suction-Side	0.42966	0.33675	0.77566
65	Suction-Side	0.43248	0.34916	0.77566
66	Suction-Side	0.43528	0.36157	0.77566
67	Suction-Side	0.43803	0.37400	0.77566
68	Suction-Side	0.44076	0.38643	0.77566
69	Suction-Side	0.44345	0.39887	0.77566
70	Suction-Side	0.44612	0.41132	0.77566
71	Suction-Side	0.44875	0.42377	0.77566
72	Suction-Side	0.45136	0.43623	0.77566
73	Suction-Side	0.45395	0.44869	0.77566
74	Suction-Side	0.45651	0.46115	0.77566
75	Suction-Side	0.45906	0.47363	0.77566
76	Suction-Side	0.46158	0.48610	0.77566
77	Suction-Side	0.46408	0.49858	0.77566
78	Suction-Side	0.46657	0.51106	0.77566
79	Suction-Side	0.46904	0.52355	0.77566
80	Suction-Side	0.47149	0.53604	0.77566
81	Suction-Side	0.47393	0.54853	0.77566
82	Suction-Side	0.47636	0.56102	0.77566
83	Suction-Side	0.47877	0.57352	0.77566
84	Suction-Side	0.48116	0.58602	0.77566
85	Suction-Side	0.48355	0.59852	0.77566
86	Suction-Side	0.48592	0.61103	0.77566
87	Suction-Side	0.48829	0.62354	0.77566
88	Suction-Side	0.49064	0.63604	0.77566
89	Suction-Side	0.49299	0.64855	0.77566
90	Suction-Side	0.49533	0.66106	0.77566
91	Suction-Side	0.49767	0.67357	0.77566
92	Suction-Side	0.50000	0.68609	0.77566
93	Suction-Side	0.50232	0.69860	0.77566
94	Suction-Side	0.50464	0.71112	0.77566
95	Suction-Side	0.50696	0.72363	0.77566
96	Suction-Side	0.50927	0.73615	0.77566
97	Suction-Side	0.51159	0.74866	0.77566
98	Suction-Side	0.51389	0.76118	0.77566
99	Suction-Side	0.51620	0.77370	0.77566
100	Suction-Side	0.51513	0.78608	0.77566
101	Pressure-Side	0.50549	0.79384	0.77566
102	Pressure-Side	0.49570	0.79344	0.77566
103	Pressure-Side	0.48803	0.78736	0.77566
104	Pressure-Side	0.48405	0.77826	0.77566
105	Pressure-Side	0.48036	0.76901	0.77566
106	Pressure-Side	0.47666	0.75977	0.77566
107	Pressure-Side	0.47295	0.75054	0.77566
108	Pressure-Side	0.46921	0.74131	0.77566
109	Pressure-Side	0.46546	0.73209	0.77566
110	Pressure-Side	0.46170	0.72287	0.77566
111	Pressure-Side	0.45791	0.71367	0.77566
112	Pressure-Side	0.45410	0.70447	0.77566
113	Pressure-Side	0.45027	0.69528	0.77566
114	Pressure-Side	0.44641	0.68610	0.77566
115	Pressure-Side	0.44253	0.67694	0.77566
116	Pressure-Side	0.43862	0.66778	0.77566
117	Pressure-Side	0.43468	0.65864	0.77566
118	Pressure-Side	0.43071	0.64951	0.77566
119	Pressure-Side	0.42670	0.64040	0.77566
120	Pressure-Side	0.42266	0.63130	0.77566
121	Pressure-Side	0.41859	0.62222	0.77566
122	Pressure-Side	0.41447	0.61315	0.77566
123	Pressure-Side	0.41031	0.60411	0.77566
124	Pressure-Side	0.40611	0.59508	0.77566
125	Pressure-Side	0.40187	0.58608	0.77566
126	Pressure-Side	0.39758	0.57709	0.77566
127	Pressure-Side	0.39326	0.56813	0.77566
128	Pressure-Side	0.38888	0.55918	0.77566
129	Pressure-Side	0.38446	0.55026	0.77566
130	Pressure-Side	0.38000	0.54137	0.77566
131	Pressure-Side	0.37549	0.53249	0.77566
132	Pressure-Side	0.37094	0.52364	0.77566
133	Pressure-Side	0.36634	0.51481	0.77566
134	Pressure-Side	0.36170	0.50600	0.77566
135	Pressure-Side	0.35701	0.49722	0.77566

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
5				
136	Pressure-Side	0.35228	0.48846	0.77566
137	Pressure-Side	0.34751	0.47972	0.77566
138	Pressure-Side	0.34270	0.47101	0.77566
139	Pressure-Side	0.33785	0.46232	0.77566
140	Pressure-Side	0.33295	0.45365	0.77566
141	Pressure-Side	0.32801	0.44501	0.77566
142	Pressure-Side	0.32304	0.43638	0.77566
143	Pressure-Side	0.31802	0.42778	0.77566
144	Pressure-Side	0.31297	0.41921	0.77566
145	Pressure-Side	0.30788	0.41065	0.77566
146	Pressure-Side	0.30275	0.40212	0.77566
147	Pressure-Side	0.29758	0.39361	0.77566
148	Pressure-Side	0.29238	0.38513	0.77566
149	Pressure-Side	0.28714	0.37666	0.77566
150	Pressure-Side	0.28186	0.36822	0.77566
151	Pressure-Side	0.27655	0.35980	0.77566
152	Pressure-Side	0.27120	0.35141	0.77566
153	Pressure-Side	0.26581	0.34304	0.77566
154	Pressure-Side	0.26039	0.33469	0.77566
155	Pressure-Side	0.25493	0.32637	0.77566
156	Pressure-Side	0.24943	0.31807	0.77566
157	Pressure-Side	0.24389	0.30980	0.77566
158	Pressure-Side	0.23831	0.30155	0.77566
159	Pressure-Side	0.23269	0.29334	0.77566
160	Pressure-Side	0.22703	0.28515	0.77566
161	Pressure-Side	0.22132	0.27699	0.77566
162	Pressure-Side	0.21557	0.26886	0.77566
163	Pressure-Side	0.20978	0.26077	0.77566
164	Pressure-Side	0.20393	0.25271	0.77566
165	Pressure-Side	0.19804	0.24469	0.77566
166	Pressure-Side	0.19210	0.23670	0.77566
167	Pressure-Side	0.18611	0.22875	0.77566
168	Pressure-Side	0.18007	0.22084	0.77566
169	Pressure-Side	0.17397	0.21297	0.77566
170	Pressure-Side	0.16782	0.20514	0.77566
171	Pressure-Side	0.16161	0.19736	0.77566
172	Pressure-Side	0.15534	0.18963	0.77566
173	Pressure-Side	0.14901	0.18195	0.77566
174	Pressure-Side	0.14261	0.17432	0.77566
175	Pressure-Side	0.13616	0.16674	0.77566
176	Pressure-Side	0.12964	0.15922	0.77566
177	Pressure-Side	0.12305	0.15175	0.77566
178	Pressure-Side	0.11640	0.14434	0.77566
179	Pressure-Side	0.10969	0.13700	0.77566
180	Pressure-Side	0.10290	0.12971	0.77566
181	Pressure-Side	0.09605	0.12249	0.77566
182	Pressure-Side	0.08913	0.11533	0.77566
183	Pressure-Side	0.08215	0.10823	0.77566
184	Pressure-Side	0.07511	0.10120	0.77566
185	Pressure-Side	0.06800	0.09423	0.77566
186	Pressure-Side	0.06084	0.08732	0.77566
187	Pressure-Side	0.05362	0.08047	0.77566
188	Pressure-Side	0.04635	0.07366	0.77566
189	Pressure-Side	0.03903	0.06691	0.77566
190	Pressure-Side	0.03169	0.06020	0.77566
191	Pressure-Side	0.02432	0.05350	0.77566
192	Pressure-Side	0.01695	0.04681	0.77566
193	Pressure-Side	0.00958	0.04011	0.77566
194	Pressure-Side	0.00227	0.03336	0.77566
195	Pressure-Side	-0.00495	0.02650	0.77566
196	Pressure-Side	-0.01201	0.01948	0.77566
197	Pressure-Side	-0.01880	0.01221	0.77566
198	Pressure-Side	-0.02511	0.00451	0.77566
199	Pressure-Side	-0.03057	-0.00381	0.77566
200	Pressure-Side	-0.03440	-0.01297	0.77566
50				
1	Suction-Side	-0.03975	-0.02587	0.87262
2	Suction-Side	-0.03749	-0.03837	0.87262
3	Suction-Side	-0.03297	-0.05025	0.87262
4	Suction-Side	-0.02676	-0.06134	0.87262
5	Suction-Side	-0.01925	-0.07159	0.87262
6	Suction-Side	-0.01071	-0.08102	0.87262
7	Suction-Side	-0.00136	-0.08964	0.87262
8	Suction-Side	0.00866	-0.09747	0.87262
9	Suction-Side	0.01925	-0.10451	0.87262
10	Suction-Side	0.03032	-0.11078	0.87262
11	Suction-Side	0.04179	-0.11627	0.87262
60				
65				

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
12	Suction-Side	0.05361	-0.12098	0.87262
13	Suction-Side	0.06571	-0.12489	0.87262
14	Suction-Side	0.07804	-0.12800	0.87262
15	Suction-Side	0.09055	-0.13028	0.87262
16	Suction-Side	0.10319	-0.13171	0.87262
17	Suction-Side	0.11590	-0.13229	0.87262
18	Suction-Side	0.12861	-0.13198	0.87262
19	Suction-Side	0.14128	-0.13080	0.87262
20	Suction-Side	0.15383	-0.12873	0.87262
21	Suction-Side	0.16620	-0.12578	0.87262
22	Suction-Side	0.17834	-0.12199	0.87262
23	Suction-Side	0.19019	-0.11738	0.87262
24	Suction-Side	0.20171	-0.11198	0.87262
25	Suction-Side	0.21285	-0.10585	0.87262
26	Suction-Side	0.22359	-0.09904	0.87262
27	Suction-Side	0.23392	-0.09161	0.87262
28	Suction-Side	0.24381	-0.08361	0.87262
29	Suction-Side	0.25327	-0.07511	0.87262
30	Suction-Side	0.26231	-0.06616	0.87262
31	Suction-Side	0.27094	-0.05682	0.87262
32	Suction-Side	0.27917	-0.04712	0.87262
33	Suction-Side	0.28702	-0.03711	0.87262
34	Suction-Side	0.29451	-0.02682	0.87262
35	Suction-Side	0.30166	-0.01630	0.87262
36	Suction-Side	0.30848	-0.00557	0.87262
37	Suction-Side	0.31500	0.00536	0.87262
38	Suction-Side	0.32123	0.01645	0.87262
39	Suction-Side	0.32720	0.02768	0.87262
40	Suction-Side	0.33292	0.03904	0.87262
41	Suction-Side	0.33841	0.05052	0.87262
42	Suction-Side	0.34367	0.06210	0.87262
43	Suction-Side	0.34874	0.07377	0.87262
44	Suction-Side	0.35361	0.08552	0.87262
45	Suction-Side	0.35831	0.09734	0.87262
46	Suction-Side	0.36284	0.10923	0.87262
47	Suction-Side	0.36722	0.12117	0.87262
48	Suction-Side	0.37146	0.13317	0.87262
49	Suction-Side	0.37556	0.14521	0.87262
50	Suction-Side	0.37954	0.15729	0.87262
51	Suction-Side	0.38340	0.16941	0.87262
52	Suction-Side	0.38716	0.18156	0.87262
53	Suction-Side	0.39082	0.19375	0.87262
54	Suction-Side	0.39439	0.20596	0.87262
55	Suction-Side	0.39787	0.21819	0.87262
56	Suction-Side	0.40127	0.23045	0.87262
57	Suction-Side	0.40460	0.24273	0.87262
58	Suction-Side	0.40787	0.25502	0.87262
59	Suction-Side	0.41107	0.26734	0.87262
60	Suction-Side	0.41421	0.27966	0.87262
61	Suction-Side	0.41730	0.29200	0.87262
62	Suction-Side	0.42034	0.30436	0.87262
63	Suction-Side	0.42333	0.31672	0.87262
64	Suction-Side	0.42628	0.32909	0.87262
65	Suction-Side	0.42920	0.34148	0.87262
66	Suction-Side	0.43207	0.35387	0.87262
67	Suction-Side	0.43492	0.36627	0.87262
68	Suction-Side	0.43774	0.37867	0.87262
69	Suction-Side	0.44053	0.39108	0.87262
70	Suction-Side	0.44329	0.40350	0.87262
71	Suction-Side	0.44603	0.41593	0.87262
72	Suction-Side	0.44874	0.42835	0.87262
73	Suction-Side	0.45143	0.44079	0.87262
74	Suction-Side	0.45410	0.45323	0.87262
75	Suction-Side	0.45675	0.46567	0.87262
76	Suction-Side	0.45938	0.47811	0.87262
77	Suction-Side	0.46199	0.49056	0.87262
78	Suction-Side	0.46459	0.50302	0.87262
79	Suction-Side	0.46716	0.51548	0.87262
80	Suction-Side	0.46973	0.52794	0.87262
81	Suction-Side	0.47227	0.54040	0.87262
82	Suction-Side	0.47481	0.55287	0.87262
83	Suction-Side	0.47732	0.56534	0.87262
84	Suction-Side	0.47983	0.57781	0.87262
85	Suction-Side	0.48232	0.59028	0.87262
86	Suction-Side	0.48480	0.60276	0.87262
87	Suction-Side	0.48727	0.61524	0.87262

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
88	Suction-Side	0.48973	0.62772	0.87262
89	Suction-Side	0.49218	0.64020	0.87262
90	Suction-Side	0.49462	0.65269	0.87262
91	Suction-Side	0.49706	0.66517	0.87262
92	Suction-Side	0.49949	0.67766	0.87262
93	Suction-Side	0.50191	0.69015	0.87262
94	Suction-Side	0.50433	0.70264	0.87262
95	Suction-Side	0.50673	0.71513	0.87262
96	Suction-Side	0.50914	0.72762	0.87262
97	Suction-Side	0.51153	0.74012	0.87262
98	Suction-Side	0.51393	0.75261	0.87262
99	Suction-Side	0.51631	0.76511	0.87262
100	Suction-Side	0.51539	0.77750	0.87262
101	Pressure-Side	0.50581	0.78532	0.87262
102	Pressure-Side	0.49605	0.78502	0.87262
103	Pressure-Side	0.48830	0.77909	0.87262
104	Pressure-Side	0.48417	0.77009	0.87262
105	Pressure-Side	0.48033	0.76095	0.87262
106	Pressure-Side	0.47648	0.75181	0.87262
107	Pressure-Side	0.47261	0.74267	0.87262
108	Pressure-Side	0.46873	0.73355	0.87262
109	Pressure-Side	0.46483	0.72443	0.87262
110	Pressure-Side	0.46091	0.71531	0.87262
111	Pressure-Side	0.45697	0.70621	0.87262
112	Pressure-Side	0.45300	0.69712	0.87262
113	Pressure-Side	0.44901	0.68804	0.87262
114	Pressure-Side	0.44500	0.67897	0.87262
115	Pressure-Side	0.44095	0.66991	0.87262
116	Pressure-Side	0.43687	0.66087	0.87262
117	Pressure-Side	0.43276	0.65184	0.87262
118	Pressure-Side	0.42862	0.64283	0.87262
119	Pressure-Side	0.42443	0.63384	0.87262
120	Pressure-Side	0.42021	0.62486	0.87262
121	Pressure-Side	0.41595	0.61591	0.87262
122	Pressure-Side	0.41165	0.60697	0.87262
123	Pressure-Side	0.40730	0.59805	0.87262
124	Pressure-Side	0.40291	0.58916	0.87262
125	Pressure-Side	0.39848	0.58028	0.87262
126	Pressure-Side	0.39400	0.57143	0.87262
127	Pressure-Side	0.38948	0.56260	0.87262
128	Pressure-Side	0.38492	0.55380	0.87262
129	Pressure-Side	0.38031	0.54502	0.87262
130	Pressure-Side	0.37565	0.53626	0.87262
131	Pressure-Side	0.37096	0.52752	0.87262
132	Pressure-Side	0.36622	0.51881	0.87262
133	Pressure-Side	0.36144	0.51012	0.87262
134	Pressure-Side	0.35661	0.50145	0.87262
135	Pressure-Side	0.35175	0.49280	0.87262
136	Pressure-Side	0.34685	0.48418	0.87262
137	Pressure-Side	0.34191	0.47558	0.87262
138	Pressure-Side	0.33693	0.46700	0.87262
139	Pressure-Side	0.33191	0.45844	0.87262
140	Pressure-Side	0.32686	0.44990	0.87262
141	Pressure-Side	0.32178	0.44139	0.87262
142	Pressure-Side	0.31666	0.43289	0.87262
143	Pressure-Side	0.31152	0.42441	0.87262
144	Pressure-Side	0.30634	0.41595	0.87262
145	Pressure-Side	0.30114	0.40750	0.87262
146	Pressure-Side	0.29591	0.39908	0.87262
147	Pressure-Side	0.29065	0.39067	0.87262
148	Pressure-Side	0.28536	0.38227	0.87262
149	Pressure-Side	0.28005	0.37390	0.87262
150	Pressure-Side	0.27471	0.36554	0.87262
151	Pressure-Side	0.26935	0.35719	0.87262
152	Pressure-Side	0.26395	0.34887	0.87262
153	Pressure-Side	0.25854	0.34056	0.87262
154	Pressure-Side	0.25309	0.33227	0.87262
155	Pressure-Side	0.24761	0.32400	0.87262
156	Pressure-Side	0.24211	0.31575	0.87262
157	Pressure-Side	0.23658	0.30751	0.87262
158	Pressure-Side	0.23102	0.29930	0.87262
159	Pressure-Side	0.22543	0.29110	0.87262
160	Pressure-Side	0.21981	0.28293	0.87262
161	Pressure-Side	0.21415	0.27478	0.87262
162	Pressure-Side	0.20846	0.26666	0.87262
163	Pressure-Side	0.20273	0.25856	0.87262

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
164	Pressure-Side	0.19697	0.25049	0.87262
165	Pressure-Side	0.19116	0.24245	0.87262
166	Pressure-Side	0.18532	0.23443	0.87262
167	Pressure-Side	0.17943	0.22645	0.87262
168	Pressure-Side	0.17350	0.21850	0.87262
169	Pressure-Side	0.16752	0.21058	0.87262
170	Pressure-Side	0.16150	0.20270	0.87262
171	Pressure-Side	0.15543	0.19486	0.87262
172	Pressure-Side	0.14931	0.18705	0.87262
173	Pressure-Side	0.14314	0.17929	0.87262
174	Pressure-Side	0.13691	0.17157	0.87262
175	Pressure-Side	0.13063	0.16389	0.87262
176	Pressure-Side	0.12429	0.15626	0.87262
177	Pressure-Side	0.11790	0.14868	0.87262
178	Pressure-Side	0.11144	0.14115	0.87262
179	Pressure-Side	0.10492	0.13368	0.87262
180	Pressure-Side	0.09833	0.12626	0.87262
181	Pressure-Side	0.09168	0.11890	0.87262
182	Pressure-Side	0.08496	0.11160	0.87262
183	Pressure-Side	0.07818	0.10437	0.87262
184	Pressure-Side	0.07132	0.09720	0.87262
185	Pressure-Side	0.06439	0.09010	0.87262
186	Pressure-Side	0.05739	0.08307	0.87262
187	Pressure-Side	0.05033	0.07611	0.87262
188	Pressure-Side	0.04320	0.06922	0.87262
189	Pressure-Side	0.03600	0.06239	0.87262
190	Pressure-Side	0.02875	0.05562	0.87262
191	Pressure-Side	0.02144	0.04891	0.87262
192	Pressure-Side	0.01411	0.04224	0.87262
193	Pressure-Side	0.00674	0.03560	0.87262
194	Pressure-Side	-0.00062	0.02895	0.87262
195	Pressure-Side	-0.00792	0.02224	0.87262
196	Pressure-Side	-0.01512	0.01541	0.87262
197	Pressure-Side	-0.02212	0.00838	0.87262
198	Pressure-Side	-0.02870	0.00096	0.87262
199	Pressure-Side	-0.03448	-0.00709	0.87262
200	Pressure-Side	-0.03862	-0.01608	0.87262
1	Suction-Side	-0.04427	-0.02877	0.96958
2	Suction-Side	-0.04195	-0.04126	0.96958
3	Suction-Side	-0.03733	-0.05311	0.96958
4	Suction-Side	-0.03106	-0.06418	0.96958
5	Suction-Side	-0.02358	-0.07447	0.96958
6	Suction-Side	-0.01514	-0.08400	0.96958
7	Suction-Side	-0.00595	-0.09281	0.96958
8	Suction-Side	0.00388	-0.10089	0.96958
9	Suction-Side	0.01423	-0.10829	0.96958
10	Suction-Side	0.02505	-0.11500	0.96958
11	Suction-Side	0.03627	-0.12101	0.96958
12	Suction-Side	0.04784	-0.12632	0.96958
13	Suction-Side	0.05971	-0.13090	0.96958
14	Suction-Side	0.07186	-0.13472	0.96958
15	Suction-Side	0.08422	-0.13775	0.96958
16	Suction-Side	0.09675	-0.13997	0.96958
17	Suction-Side	0.10941	-0.14134	0.96958
18	Suction-Side	0.12212	-0.14184	0.96958
19	Suction-Side	0.13484	-0.14143	0.96958
20	Suction-Side	0.14750	-0.14010	0.96958
21	Suction-Side	0.16003	-0.13783	0.96958
22	Suction-Side	0.17235	-0.13464	0.96958
23	Suction-Side	0.18440	-0.13056	0.96958
24	Suction-Side	0.19612	-0.12559	0.96958
25	Suction-Side	0.20745	-0.11980	0.96958
26	Suction-Side	0.21836	-0.11324	0.96958
27	Suction-Side	0.22881	-0.10597	0.96958
28	Suction-Side	0.23880	-0.09809	0.96958
29	Suction-Side	0.24833	-0.08965	0.96958
30	Suction-Side	0.25741	-0.08072	0.96958
31	Suction-Side	0.26605	-0.07137	0.96958
32	Suction-Side	0.27426	-0.06165	0.96958
33	Suction-Side	0.28209	-0.05161	0.96958
34	Suction-Side	0.28954	-0.04129	0.96958
35	Suction-Side	0.29665	-0.03073	0.96958
36	Suction-Side	0.30344	-0.01996	0.96958
37	Suction-Side	0.30995	-0.00902	0.96958
38	Suction-Side	0.31617	0.00209	0.96958
39	Suction-Side	0.32214	0.01333	0.96958

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
5	Suction-Side	0.32786	0.02470	0.96958
40	Suction-Side	0.33336	0.03618	0.96958
41	Suction-Side	0.33865	0.04776	0.96958
42	Suction-Side	0.34374	0.05943	0.96958
43	Suction-Side	0.34865	0.07117	0.96958
44	Suction-Side	0.35340	0.08299	0.96958
10	Suction-Side	0.35800	0.09486	0.96958
46	Suction-Side	0.36244	0.10679	0.96958
47	Suction-Side	0.36675	0.11877	0.96958
48	Suction-Side	0.37094	0.13079	0.96958
49	Suction-Side	0.37501	0.14285	0.96958
50	Suction-Side	0.37897	0.15495	0.96958
51	Suction-Side	0.38283	0.16708	0.96958
15	Suction-Side	0.38660	0.17924	0.96958
52	Suction-Side	0.39028	0.19143	0.96958
53	Suction-Side	0.39388	0.20364	0.96958
54	Suction-Side	0.39740	0.21587	0.96958
20	Suction-Side	0.40085	0.22813	0.96958
55	Suction-Side	0.40424	0.24040	0.96958
56	Suction-Side	0.40756	0.25269	0.96958
57	Suction-Side	0.41082	0.26499	0.96958
25	Suction-Side	0.41403	0.27731	0.96958
58	Suction-Side	0.41719	0.28964	0.96958
59	Suction-Side	0.42030	0.30199	0.96958
60	Suction-Side	0.42336	0.31435	0.96958
65	Suction-Side	0.42639	0.32671	0.96958
66	Suction-Side	0.42938	0.33909	0.96958
67	Suction-Side	0.43233	0.35147	0.96958
68	Suction-Side	0.43526	0.36386	0.96958
69	Suction-Side	0.43815	0.37625	0.96958
70	Suction-Side	0.44102	0.38866	0.96958
71	Suction-Side	0.44438	0.40107	0.96958
72	Suction-Side	0.44667	0.41348	0.96958
73	Suction-Side	0.44946	0.42591	0.96958
74	Suction-Side	0.45222	0.43833	0.96958
75	Suction-Side	0.45496	0.45076	0.96958
76	Suction-Side	0.45768	0.46320	0.96958
77	Suction-Side	0.46039	0.47564	0.96958
78	Suction-Side	0.46307	0.48809	0.96958
79	Suction-Side	0.46574	0.50053	0.96958
80	Suction-Side	0.46839	0.51299	0.96958
81	Suction-Side	0.47102	0.52544	0.96958
82	Suction-Side	0.47364	0.53790	0.96958
40	Suction-Side	0.47624	0.55036	0.96958
83	Suction-Side	0.47883	0.56282	0.96958
84	Suction-Side	0.48141	0.57529	0.96958
85	Suction-Side	0.48398	0.58776	0.96958
86	Suction-Side	0.49161	0.62518	0.96958
87	Suction-Side	0.49414	0.63766	0.96958
88	Suction-Side	0.49666	0.65014	0.96958
89	Suction-Side	0.49917	0.66262	0.96958
90	Suction-Side	0.50167	0.67510	0.96958
91	Suction-Side	0.50417	0.68758	0.96958
92	Suction-Side	0.50665	0.70007	0.96958
93	Suction-Side	0.50913	0.71255	0.96958
94	Suction-Side	0.51161	0.72504	0.96958
55	Suction-Side	0.51407	0.73753	0.96958
95	Suction-Side	0.51653	0.75002	0.96958
96	Suction-Side	0.51576	0.76244	0.96958
97	Suction-Side	0.51965	0.77018	0.96958
98	Suction-Side	0.52446	0.77566	0.96958
99	Suction-Side	0.52804	0.78408	0.96958
100	Suction-Side	0.53176	0.79624	0.96958
101	Pressure-Side	0.53624	0.77035	0.96958
102	Pressure-Side	0.54067	0.77018	0.96958
103	Pressure-Side	0.54487	0.76449	0.96958
104	Pressure-Side	0.54844	0.75566	0.96958
105	Pressure-Side	0.55204	0.74667	0.96958
106	Pressure-Side	0.55576	0.73769	0.96958
107	Pressure-Side	0.55944	0.72871	0.96958
108	Pressure-Side	0.56311	0.71974	0.96958
109	Pressure-Side	0.56678	0.71077	0.96958
110	Pressure-Side	0.57039	0.70181	0.96958
111	Pressure-Side	0.57392	0.69287	0.96958
112	Pressure-Side	0.57753	0.68394	0.96958
113	Pressure-Side	0.58112	0.67502	0.96958
114	Pressure-Side	0.58471	0.66612	0.96958
115	Pressure-Side	0.58830	0.65723	0.96958

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
116	Pressure-Side	0.43546	0.64836	0.96958
117	Pressure-Side	0.43118	0.63951	0.96958
118	Pressure-Side	0.42686	0.63068	0.96958
119	Pressure-Side	0.42250	0.62188	0.96958
120	Pressure-Side	0.41809	0.61309	0.96958
121	Pressure-Side	0.41363	0.60433	0.96958
122	Pressure-Side	0.40913	0.59559	0.96958
123	Pressure-Side	0.40458	0.58687	0.96958
124	Pressure-Side	0.39998	0.57819	0.96958
125	Pressure-Side	0.39533	0.56952	0.96958
126	Pressure-Side	0.39064	0.56089	0.96958
127	Pressure-Side	0.38590	0.55227	0.96958
128	Pressure-Side	0.38111	0.54369	0.96958
129	Pressure-Side	0.37628	0.53513	0.96958
130	Pressure-Side	0.37141	0.52659	0.96958
131	Pressure-Side	0.36649	0.51808	0.96958
132	Pressure-Side	0.36153	0.50959	0.96958
133	Pressure-Side	0.35653	0.50113	0.96958
134	Pressure-Side	0.35149	0.49269	0.96958
135	Pressure-Side	0.34642	0.48427	0.96958
136	Pressure-Side	0.34130	0.47587	0.96958
137	Pressure-Side	0.33616	0.46750	0.96958
138	Pressure-Side	0.33098	0.45914	0.96958
139	Pressure-Side	0.32577	0.45080	0.96958
140	Pressure-Side	0.32053	0.44249	0.96958
141	Pressure-Side	0.31527	0.43418	0.96958
142	Pressure-Side	0.30998	0.42590	0.96958
143	Pressure-Side	0.30467	0.41763	0.96958
144	Pressure-Side	0.29934	0.40937	0.96958
145	Pressure-Side	0.29399	0.40112	0.96958
146	Pressure-Side	0.28863	0.39288	0.96958
147	Pressure-Side	0.28324	0.38466	0.96958
148	Pressure-Side	0.27785	0.37644	0.96958
149	Pressure-Side	0.27244	0.36823	0.96958
150	Pressure-Side	0.26702	0.36003	0.96958
151	Pressure-Side	0.26157	0.35185	0.96958
152	Pressure-Side	0.25611	0.34367	0.96958
153	Pressure-Side	0.25063	0.33552	0.96958
154	Pressure-Side	0.24512	0.32737	0.96958
155	Pressure-Side	0.23960	0.31924	0.96958
156	Pressure-Side	0.23405	0.31112	0.96958
157	Pressure-Side	0.22848	0.30302	0.96958
158	Pressure-Side	0.22289	0.29494	0.96958
159	Pressure-Side	0.21727	0.28687	0.96958
160	Pressure-Side	0.21163	0.27882	0.96958
161	Pressure-Side	0.20595	0.27080	0.96958
162	Pressure-Side	0.20025	0.26279	0.96958
163	Pressure-Side	0.19451	0.25481	0.96958
164	Pressure-Side	0.18874	0.24685	0.96958
165	Pressure-Side	0.18292	0.23893	0.96958
166	Pressure-Side	0.17705	0.23104	0.96958
167	Pressure-Side	0.17114	0.22319	0.96958
168	Pressure-Side	0.16519	0.21537	0.96958
169	Pressure-Side	0.15919	0.20758	0.96958
170	Pressure-Side	0.15314	0.19983	0.96958
171	Pressure-Side	0.14706	0.19211	0.96958
172	Pressure-Side	0.14093	0.18442	0.96958
173	Pressure-Side	0.13475	0.17678	0.96958
174	Pressure-Side	0.12852	0.16917	0.96958
175	Pressure-Side	0.12224	0.16161	0.96958
176	Pressure-Side	0.11592	0.15408	0.96958
177	Pressure-Side	0.10954	0.14660	0.96958
178	Pressure-Side	0.10310	0.13917	0.96958
179	Pressure-Side	0.09662	0.13179	0.96958
180	Pressure-Side	0.09007	0.12445	0.96958
181	Pressure-Side	0.08348	0.11716	0.96958
182	Pressure-Side	0.07683	0.10992	0.96958
183	Pressure-Side	0.07013	0.10273	0.96958
184	Pressure-Side	0.06337	0.09558	0.96958
185	Pressure-Side	0.05657	0.08849	0.96958
186	Pressure-Side	0.04972	0.08144	0.96958
187	Pressure-Side	0.04282	0.07444	0.96958
188	Pressure-Side	0.03586	0.06749	0.96958
189	Pressure-Side	0.02886	0.06059	0.96958
190	Pressure-Side	0.02182	0.05374	0.96958
191	Pressure-Side	0.01474	0.04691	0.96958

TABLE I-continued

Non-Dimensionalized (X Y Z/Span Height)				
N	Location	X	Y	Z
5				
192	Pressure-Side	0.00764	0.04011	0.96958
193	Pressure-Side	0.00053	0.03332	0.96958
194	Pressure-Side	-0.00656	0.02652	0.96958
195	Pressure-Side	-0.01360	0.01966	0.96958
196	Pressure-Side	-0.02053	0.01269	0.96958
197	Pressure-Side	-0.02726	0.00552	0.96958
198	Pressure-Side	-0.03358	-0.00201	0.96958
199	Pressure-Side	-0.03913	-0.01011	0.96958
200	Pressure-Side	-0.04314	-0.01906	0.96958

15 According to various embodiments, and as a result of end-wall contour 218, a region of a passage trough 250 between two airfoils 202 proximate endwall 212 can be affected. For example, a bottom edge of a passage trough 250 between a pair of nozzles 200 can vary radially, whereas an endwall 20 without a contour would leave a bottom edge of such a throat as at least a straight line, if not a substantially constant radial distance.

20 Turning to FIG. 5, a schematic view of portions of a multi-shaft combined cycle power plant 900 is shown. Combined cycle power plant 900 may include, for example, a gas turbine 980 operably connected to a generator 970. Generator 970 and gas turbine 980 may be mechanically coupled by a shaft 915, which may transfer energy between a drive shaft (not shown) of gas turbine 980 and generator 970. Also shown in FIG. 5 is a heat exchanger 986 operably connected to gas turbine 980 and a steam turbine 992. Heat exchanger 986 may be fluidly connected to both gas turbine 980 and a steam turbine 992 via conventional conduits (numbering omitted). Gas turbine 980 and/or steam turbine 992 may include one or 35 more nozzles 200 as shown and described with reference to FIG. 2 and/or other embodiments described herein. Heat exchanger 986 may be a conventional heat recovery steam generator (HRSG), such as those used in conventional combined cycle power systems. As is known in the art of power generation, HRSG 986 may use hot exhaust from gas turbine 980, combined with a water supply, to create steam which is fed to steam turbine 992. Steam turbine 992 may optionally be coupled to a second generator system 970 (via a second shaft 915). It is understood that generators 970 and shafts 915

40 may be of any size or type known in the art and may differ depending upon their application or the system to which they are connected. Common numbering of the generators and shafts is for clarity and does not necessarily suggest these generators or shafts are identical. In another embodiment, 45 shown in FIG. 6, a single shaft combined cycle power plant 990 may include a single generator 970 coupled to both gas turbine 980 and steam turbine 992 via a single shaft 915. Steam turbine 992 and/or gas turbine 980 may include one or 50 more nozzles 200 shown and described with reference to FIG. 2 and/or other embodiments described herein.

The apparatus and devices of the present disclosure are not limited to any one particular engine, turbine, jet engine, generator, power generation system or other system, and may be used with other aircraft systems, power generation systems 60 and/or systems (e.g., combined cycle, simple cycle, nuclear reactor, etc.). Additionally, the apparatus of the present invention may be used with other systems not described herein that may benefit from the increased reduced tip leakage and increased efficiency of the apparatus and devices described herein.

In various embodiments, components described as being “coupled” to one another can be joined along one or more

interfaces. In some embodiments, these interfaces can include junctions between distinct components, and in other cases, these interfaces can include a solidly and/or integrally formed interconnection. That is, in some cases, components that are “coupled” to one another can be simultaneously formed to define a single continuous member. However, in other embodiments, these coupled components can be formed as separate members and be subsequently joined through known processes (e.g., fastening, ultrasonic welding, bonding).

The terminology used herein is for the purpose of describing particular example embodiments only and is not intended to be limiting. As used herein, the singular forms “a”, “an” and “the” may be intended to include the plural forms as well, unless the context clearly indicates otherwise. The terms “comprises,” “comprising,” “including,” and “having,” are inclusive and therefore specify the presence of stated features, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, integers, steps, operations, elements, components, and/or groups thereof. The method steps, processes, and operations described herein are not to be construed as necessarily requiring their performance in the particular order discussed or illustrated, unless specifically identified as an order of performance. It is also to be understood that additional or alternative steps may be employed.

When an element or layer is referred to as being “on”, “engaged to”, “connected to” or “coupled to” another element or layer, it may be directly on, engaged, connected or coupled to the other element or layer, or intervening elements or layers may be present. In contrast, when an element is referred to as being “directly on,” “directly engaged to”, “directly connected to” or “directly coupled to” another element or layer, there may be no intervening elements or layers present. Other words used to describe the relationship between elements should be interpreted in a like fashion (e.g., “between” versus “directly between,” “adjacent” versus “directly adjacent,” etc.). As used herein, the term “and/or” includes any and all combinations of one or more of the associated listed items.

Spatially relative terms, such as “inner,” “outer,” “beneath”, “below”, “lower”, “above”, “upper” and the like, may be used herein for ease of description to describe one element or feature’s relationship to another element(s) or feature(s) as illustrated in the figures. Spatially relative terms may be intended to encompass different orientations of the device in use or operation in addition to the orientation depicted in the figures. For example, if the device in the figures is turned over, elements described as “below” or “beneath” other elements or features would then be oriented “above” the other elements or features. Thus, the example term “below” can encompass both an orientation of above and below. The device may be otherwise oriented (rotated 90 degrees or at other orientations) and the spatially relative descriptors used herein interpreted accordingly.

The foregoing description of various aspects of the invention has been presented for purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise form disclosed, and obviously, many modifications and variations are possible. Such modifications and variations that may be apparent to an individual in the art are included within the scope of the invention as defined by the accompanying claims.

This written description uses examples to disclose the invention, including the best mode, and also to enable any person skilled in the art to practice the invention, including making and using any devices or systems and performing any incorporated methods. The patentable scope of the invention

is defined by the claims, and may include other examples that occur to those skilled in the art. Such other examples are intended to be within the scope of the claims if they have structural elements that do not differ from the literal language of the claims, or if they include equivalent structural elements with insubstantial differences from the literal languages of the claims.

We claim:

1. A turbine nozzle comprising:
10 an airfoil having: a suction side; a pressure side opposing the suction side; a leading edge spanning between the pressure side and the suction side; and a trailing edge opposing the leading edge and spanning between the pressure side and the suction side; and
15 at least one endwall connected with the airfoil along the suction side, pressure side, trailing edge and the leading edge, the at least one endwall including a non-axisymmetric contour proximate a junction between the endwall and the leading edge of the airfoil,
20 wherein the non-axisymmetric contour includes a first thickened area having an apex at approximately 20% axial chord upstream of the leading edge,
25 wherein the non-axisymmetric contour further includes a second thickened area having an apex at approximately 15-20% of an axial chord length of the leading edge.
2. The turbine nozzle of claim 1, further comprising a fillet connecting a surface of the endwall to a surface of the airfoil.
3. The turbine nozzle of claim 1, wherein the turbine nozzle includes a first stage nozzle.
4. The turbine nozzle of claim 1, wherein the at least one endwall directs flow of a working fluid through a passage 30 proximate the pressure side of the airfoil.
5. The turbine nozzle of claim 1, wherein the at least one endwall includes an inner endwall or an outer endwall.
35 6. The turbine nozzle of claim 1, wherein the first thickened area extends across at least approximately 10 percent of an axial length of the endwall, and has a pitch of approximately zero percent to approximately 5 percent from the suction side.
7. The turbine nozzle of claim 1, wherein the first thickened area extends across approximately 20 percent to approximately 30 percent of an axial length of the endwall.
40 8. The turbine nozzle of claim 1, wherein at least one of the suction side or the pressure side of the airfoil includes a nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in TABLE I, wherein the coordinate values are non-dimensional values of from 0 to 1 convertible to distances by multiplying the values by a trailing edge height expressed in units of distance, and wherein X and Y values connected by smooth continuing arcs define airfoil profile sections at each distance Z along the airfoil, the profile sections at the Z distances being joined smoothly with one another to form the airfoil profile, wherein the Cartesian coordinate values have an origin at a root of the leading edge of the airfoil.
45 9. A static nozzle section comprising:
50 a set of static nozzles, the set of static nozzles including at least one nozzle having:
an airfoil having: a suction side; a pressure side opposing the suction side; a leading edge spanning between the pressure side and the suction side; and a trailing edge opposing the leading edge and spanning between the pressure side and the suction side; and
55 at least one endwall connected with the airfoil along the suction side, pressure side, trailing edge and the leading edge, the at least one endwall including a non-axisymmetric contour proximate a junction between the endwall and the leading edge of the airfoil,

39

wherein at least one of the suction side or the pressure side of the airfoil includes a nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in TABLE I, wherein the coordinate values are non-dimensional values of from 0 to 1 convertible to distances by multiplying the values by a trailing edge height expressed in units of distance, and wherein X and Y values connected by smooth continuing arcs define airfoil profile sections at each distance Z along the airfoil, the profile sections at the Z distances being joined smoothly with one another to form the airfoil profile, wherein the Cartesian coordinate values have an origin at a root of the leading edge of the airfoil.

10. The static nozzle section of claim **9**, further comprising a fillet connecting a surface of the endwall to a surface of the airfoil. ¹⁵

11. The static nozzle section of claim **9**, wherein the turbine nozzle includes a first stage nozzle.

12. The static nozzle section of claim **9**, wherein the non-axisymmetric contour includes a thickened area having an apex at approximately 20% axial chord upstream of the leading edge. ²⁰

13. The static nozzle section of claim **12**, wherein the thickened area extends across at least approximately 10 percent of an axial length of the endwall, and has a pitch of approximately zero percent to approximately 5 percent from the suction side. ²⁵

14. The static nozzle section of claim **12**, wherein the thickened area extends across approximately 20 percent to approximately 30 percent of an axial length of the endwall.

15. The static nozzle section of claim **9**, wherein the at least one endwall directs flow of a working fluid through a passage trough proximate the pressure side of the airfoil. ³⁰

16. A turbine comprising:

a rotor section; and

a static nozzle section at least partially surround the rotor section, the static nozzle section including a set of static nozzles, the set of static nozzles including at least one nozzle having: ³⁵

40

an airfoil having: a suction side; a pressure side opposing the suction side; a leading edge spanning between the pressure side and the suction side; and a trailing edge opposing the leading edge and spanning between the pressure side and the suction side; and

at least one endwall connected with the airfoil along the suction side, pressure side, trailing edge and the leading edge, the at least one endwall including:

a non-axisymmetric contour proximate a junction between the endwall and the leading edge of the airfoil,

wherein the non-axisymmetric contour includes a thickened area having an apex at approximately 20% axial chord upstream of the leading edge,

wherein the non-axisymmetric contour further includes a second thickened area having an apex at approximately 15-20% of an axial chord length of the leading edge.

17. The turbine of claim **16**, wherein the second thickened area extends across at least approximately 10 percent of an axial length of the endwall, and has a pitch of approximately zero percent to approximately 5 percent from the suction side.

18. The turbine of claim **16**, wherein at least one of the pressure side or the suction side of the airfoil includes a nominal profile substantially in accordance with Cartesian coordinate values of X, Y and Z set forth in TABLE I, wherein the coordinate values are non-dimensional values of from 0 to 1 convertible to distances by multiplying the values by a trailing edge height expressed in units of distance, and wherein X and Y values connected by smooth continuing arcs define airfoil profile sections at each distance Z along the airfoil, the profile sections at the Z distances being joined smoothly with one another to form the airfoil profile, wherein the Cartesian coordinate values have an origin at a root of the leading edge of the airfoil. ³⁰

* * * * *